

Sioux Chief Manufacturing

Product Addendum - F2080

Effective: March 18, 2011

Item Number	Description	List Price	Min Qty	Case Qty	No Break Min Qty	Weight (lbs)	UPC
630A248E	ELL 3-1/2X8 1/2F2080 STUB	11.72	25	25		0.34554	7392364866
630A261186	STUB OUT ELL 1/2 F2080 X 8	10.04	25	100		0.33949	7392364321
630A266687	ELL 5X8 3/4 F2080 STUB OUT	19.44	5	40		0.67322	7392364321
630A348E	ELL 4X8 3/4F2080 STUB OUT	21.82	25	25		0.68574	7392364866
631A02	ELBOW 3X5 3/4F2080 X FSW	20.91	25	25		0.51405	7392364031
631A02FP	ELBOW 3X5 3/4F2080 X FIP S	38.49	25	25		1.152	7392364039
632A260537	ELBOW 1/2 F2080 X 1/2 MS (4.71	50	300		0.13267	7392364320
632A260557	ELBOW 1/2 F2080 X 3/4 FSW	7.7	35	210		0.38857	7392364320
632A260757	ELBOW 1/2 F2080 X 3/4MS (1/	7.4	25	150		0.24	7392364320
632A260767	ELBOW 3/4 F2080 X 1 MS (3/4	12.32	20	120		0.36167	7392364320
632A260817	ELBOW 3/4 F2080 X 3/4MS (1/	9.28	25	150		0	7392364320
632A261196	TUB/SHOWER DIVERTER EL	9.14	50	50		0.27	7392364321
632A263X	ELBOW 6X3 1/2F2080 X 1/2M	14	50	50		0.35212	7392364028
632A263Y	ELBOW 6X3 1/2F2080 X 1/2F	12.71	50	50		0.33358	7392364028
633A18	WHC 3/4FIPSWVL X 3/4F2080	28.68	25	25		0.953	7392364040
633A18FP	WHC 3/4FIPSWVL X 3/4F2080	42.88	25	25		1.51	7392364040
633A260587	FITTING 3/4F2080 X 3/4 FIP S	14.07	30	180		0	7392364316
633A306FP	WHC 3/4 FSWVL X 3/4 F2080	34.25	10	10	No Break	1.22531	7392364038
634A418	WHC FLEX 3/4FIPSWVL X 3/4	29.64	25	25		0.74692	7392364040
634A418FP	WHC FLEX 18 3/4FSVL X 3/4F	44.23	25	25		1.35	7392364041
637A260097	CONNECT 1/2 F2080X1/2 FIP	6.53	1	1		0.156	7392364321
638A266577	8 STRAIGHT COPPER STUB	11.6	10	100		0.2674	7392364322
640A235267	PLUG F2080 1-1/4	21.85	20	120		0.3195	7392364312
640A260087	PLUG F2080 1/2	2.2	100	600		0.0648	7392364312
640A260397	PLUG F2080 3/4	2.95	60	360		0.1102	7392364312
640A260497	PLUG F2080 1	7.26	30	180		0.1928	7392364312
641A235607	TEE 1-1/4 X 1-1/4 X 1-1/4 F20	42.01	5	30		0	7392364317
641A235617	TEE 1-1/4 X 1-1/4 X 1 F2080	57.67	5	30		1.005	7392364317
641A235627	TEE 1-1/4 X 1-1/4 X 3/4 F2080	80.18	5	30		0.718	7392364317
641A235637	TEE 1-1/4 X 1 X 1-1/4 F2080	46.7	5	30		0	7392364317
641A235657	TEE 1-1/4 X 1 X 1 F2080	46.72	5	30		0	7392364317
641A235677	TEE 1-1/4 X 3/4 X 1 F2080	80.94	5	30		0	7392364317

Item Number	Description	List Price	Min Qty	Case Qty	No Break Min Qty	Weight (lbs)	UPC
641A235807	TEE 1-1/2 X 1-1/2 X 1-1/2 F20	74.96	2	12		0	7392364317
641A235817	TEE 1-1/2 X 1-1/2 X 1-1/4 F20	83.01	2	12		0	7392364317
641A235827	TEE 1-1/2 X 1-1/2 X 1 F2080	83.01	2	12		1.42	7392364317
641A235837	TEE 1-1/2 X 1-1/4 X 1-1/2 F20	73.94	2	12		0	7392364318
641A235847	TEE 1-1/2 X 1 X 1-1/2 F2080	82.67	2	12		0	7392364318
641A235857	TEE 1-1/2 X 1-1/4 X 1-1/4 F20	77.64	2	12		0	7392364318
641A235867	TEE 1-1/2 X 1-1/4 X 1 F2080	82.94	2	12		0	7392364318
641A235877	TEE 1-1/2 X 1 X 1 F2080	82.67	2	12		0	7392364318
641A235887	TEE 1-1/2 X 3/4 X 1 F2080	88.98	2	12		0	7392364318
641A236007	TEE 2 X 2 X 2 F2080	109.4	1	6		0	7392364318
641A236017	TEE 2 X 2 X 1-1/2 F2080	114.26	1	6		0	7392364318
641A236027	TEE 2 X 2 X 1-1/4 F2080	113.6	1	6		0	7392364318
641A236037	TEE 2 X 2 X 1 F2080	112.91	1	6		2.25974	7392364318
641A236047	TEE 2 X 1-1/2 X 2 F2080	113.6	1	6		0	7392364319
641A236057	TEE 2 X 1-1/4 X 2 F2080	112.91	1	6		0	7392364319
641A236067	TEE 2 X 1-1/2 X 1-1/2 F2080	106.88	1	6		0	7392364319
641A236077	TEE 2 X 1-1/2 X 1-1/4 F2080	114.26	1	6		0	7392364319
641A236087	TEE 2 X 1-1/2 X 1 F2080	112.91	1	6		0	7392364319
641A236097	TEE 2 X 1-1/4 X 1-1/4 F2080	113.6	1	6		0	7392364319
641A260607	TEE 1/2 X 1/2 X 1/2 F2080	8.55	25	150		0.24933	7392364315
641A260617	TEE 3/4 X 3/4 X 3/4 F2080	10.38	15	90		0.42	7392364315
641A260627	TEE 3/4 X 3/4 X 1/2 F2080	9.84	20	120		0.35833	7392364315
641A260637	TEE 3/4 X 1/2 X 1/2 F2080	7.23	20	120		0.305	7392364316
641A260647	TEE 3/4 X 1/2 X 3/4 F2080	7.99	15	90		0.36667	7392364316
641A260687	TEE 1 X 3/4 X 1 F2080	14.65	10	60		0.69	7392364316
641A260697	TEE 1 X 3/4 X 3/4 F2080	12.8	10	60		0.5	7392364316
641A260707	TEE 1 X 1 X 3/4 F2080	14.85	10	60		0.7	7392364316
641A260727	TEE 1 X 1 X 1/2 F2080	17.05	10	60		0.5	7392364316
641A260857	TEE 1/2 X 1/2 X 3/4 F2080	11.9	20	120		0.31333	7392364316
641A260897	TEE 3/4 X 3/4 X 1 F2080	17.74	10	60		0	7392364316
641A260977	TEE 1 X 1 X 1 F2080	14.34	8	48		0.75	7392364316
642A235597	ELBOW 1-1/4 X 1-1/4 F2080	32.6	8	48		0.8	7392364319

Item Number	Description	List Price	Min Qty	Case Qty	No Break Min Qty	Weight (lbs)	UPC
642A235797	ELBOW 1-1/2 X 1-1/2 F2080	55.79	2	12		1.36	7392364320
642A235997	ELBOW 2 X 2 F2080	90.87	2	12		2.4	7392364320
642A260657	ELBOW 1/2 X 1/2 F2080	4.45	40	240		0.15	7392364319
642A260677	ELBOW 3/4 X 3/4 F2080	8.57	25	150		0.32	7392364319
642A260717	ELBOW 1 X 1 F2080	20.79	10	60		0.6	7392364319
643A235567	ADPT 1-1/4F2080 X 1-1/4MSW	28.9	5	30		0.5	7392364313
643A235577	ADPT 1-1/4F2080X1-1/2MSW	41	5	30		0.53	7392364313
643A235767	ADPT 1-1/2F2080X1-1/2MSW	43.69	5	30		0.6782	7392364313
643A235777	ADPT 1-1/2F2080X2 MSWT(1-	49.06	5	30		1.14	7392364313
643A235967	ADPT 2 F2080X 2 MSWT(1-1/	57.14	5	30		1.41667	7392364313
643A235977	ADPT 2 F2080 X 2-1/2MSWT (70.08	3	3		1.66	7392364314
643A260017	ADPT 1/2F2080 X 1/2MSWT (3	2.77	65	390		0.08539	7392364312
643A260417	ADPT 1F2080 X 1MSWT (3/4F	8.09	25	150		0.29366	7392364312
643A260827	ADPT 3/4F2080 X 3/4MSWT (1	5.17	35	210		0.18095	7392364313
643A260837	ADPT 3/4F2080 X 3/4FSWT (1	6.65	25	150		0.28	7392364313
643A260947	ADPT 1F2080 X 1-1/4MSWT (9.72	20	120		0.4	7392364313
644A260047	ADPT 1/2 F2080 X 1/2 FSWT	2.7	65	390		0.09231	7392364313
644A260807	ADPT 3/4 F2080 X 1 FSWT	6.45	35	210		0.238	7392364313
645A235517	COUPLING 1-1/4 X 1 F2080	36.97	10	10		0.41654	7392364312
645A235527	COUPLING 1-1/4 X 1-1/4 F208	31.05	5	30		0.4739	7392364311
645A235717	COUPLING 1-1/2 X 1-1/4 F208	38.98	5	30		0.6098	7392364312
645A235727	COUPLING 1-1/2 X 1-1/2 F208	49.06	5	30		0.7548	7392364311
645A235737	COUPLING 1-1/2 X 1 F2080	37.64	5	30		0.5433	7392364311
645A235917	COUPLING 2 X 1-1/2 F2080	56.48	3	18		1.0375	7392364311
645A235927	COUPLING 2 X 2 F2080	66.55	3	18		1.333	7392364312
645A235937	COUPLING 2 X 1-1/4 F2080	50.38	3	18		0.9422	7392364421
645A235947	COUPLING 2 X 1 F2080	49.06	3	18		0.93329	7392364312
645A243517	COUPLING 3/8 X 3/8 F2080	5.55	70	420		0.07789	7392364310
645A260227	COUPLING 1/2 X 1/2 F2080	3.27	60	360		0.11421	7392364311
645A260247	COUPLING 3/4 X 1/2 F2080	6.99	45	270		0.1446	7392364311
645A260317	COUPLING 3/4 X 3/4 F2080	5.45	35	210		0.18238	7392364311
645A260427	COUPLING 1 X 1 F2080	9.12	20	20		0.30833	7392364311
645A260447	COUPLING 1 X 3/4 F2080	8.28	25	150		0.2382	7392364311
645AC2	COUPLING 1/2 CPVC X 1/2 F2	8.47	50	50		0.16	7392364093
645AC3	COUPLING 3/4 CPVC X 3/4 F2	14.51	50	50		0.3628	7392364093

Item Number	Description	List Price	Min Qty	Case Qty	No Break Min Qty	Weight (lbs)	UPC
645AC4	COUPLING 1 CPVC X 1 F2080	22.75	20	20		0.5584	7392364093
646A235557	ADPT 1-1/4F2080X1-1/4 MIP(1	49.06	5	30		0.69028	7392364314
646A235757	ADPT 1-1/2F2080X1-1/2MIP(1-	54.45	5	30		1.08	7392364314
646A235957	ADPT 2 F2080 X 2 MIP(1-1/2F	108.6	3	3		1.867	7392364315
646A243537	ADPT 3/8 F2080 X 1/2 MIP (1/	4.29	50	50		0.12983	7392364314
646A260237	ADPT 1/2 F2080 X 1/2 MIP (1/	4.27	65	390		0.14683	7392364314
646A260327	ADPT 3/4 F2080 X 3/4 MIP (1/	7.15	35	210		0.27619	7392364314
646A260437	ADPT 1 F2080 X 1 MIP (3/4FS	10.45	20	120		0.4042	7392364314
646A260597	ADPT 3/4 F2080 X 1 MIP (3/4F	9.48	20	120		0.3246	7392364314
646A260737	ELL 1/2 MIP DROP EAR X 1/2	10.42	25	150		0.26	7392364314
646A260747	ELL 3/4MIPDROP EARX3/4F2	10.62	15	90		0.4	7392364314
646A306FP	WHC 3/4 MIP X 3/4 F2080 FP	33.94	10	10	No Break	1.40656	7392364039
646X306FP	WHC 3/4 MIP X 3/4 PEX FP VL	30.77	10	10	No Break	1.20661	7392364039
647A260287	ADPT 1/2 F2080 X 1/2 FIP	5.46	35	210		0.1589	7392364315
647A260387	ADPT 3/4 F2080 X 3/4 FIP	7.72	25	150		0.29	7392364315
647A260487	ADPT 1 F2080 X 1 FIP	12.25	10	60		0.53333	7392364315
647A260667	1/2F2080 X 1/2FIP DROP EAR	7.52	20	20		0.3	7392364315
647A260777	3/4F2080 X 3/4FIP DROP EAR	19.46	15	90		0.47778	7392364315
647A260787	1 F2080 X 1 FIP DROP EAR E	34.64	8	48		0	7392364315
648A261376	VLV 3/4 F2080 X 3/4 FSWT	26.87	18	18		0.5	7392364321
648A261476	VLV 1/2F2080 X 3/8COMP DU	31.99	12	72		0	7392364321
648A261906	VLV 1/2 X 1/2 F2080	16.32	24	24		0.4375	7392364321
648A261946	VLV 1/2 F2080 X 1/2 FSWT	14.25	24	24		0.333	7392364320
648A261956	VLV 3/4 X 3/4 F2080	24.48	12	72		0.54583	7392364320
648A261976	VLV 1/2F2080 X 3/8COMP ST	16	18	108		0.38889	7392364320
648A261996	VLV 1/2F2080 X 3/8COMP AN	16	18	108		0.39815	7392364321
648A4FP	VALVE 1 F2080 X 1 F2080 FP	53.57	10	10		1.76862	7392364041
649A235507	SLEEVE F2080 1-1/4	7.19	25	150	No Break	0.28	7392364310
649A235707	SLEEVE F2080 1-1/2	14.93	20	120	No Break	0.283	7392364310
649A235907	SLEEVE F2080 2	17.54	5	30	No Break	0.52029	7392364310
649A243507	SLEEVE F2080 3/8	2.67	150	900	No Break	0.0456	7392364310
649A260077	SLEEVE F2080 1/2	1.02	150	150	No Break	0.04693	7392364310
649A260077C	SLEEVE F2080 1/2 CHROME	1.88	20	100		0.04933	7392364042
649A260577	SLEEVE F2080 3/4	1.75	80	480	No Break	0.0875	7392364310
649A260877	SLEEVE F2080 1	3.25	40	240	No Break	0.15653	7392364310

Item Number	Description	List Price	Min Qty	Case Qty	No Break Min Qty	Weight (lbs)	UPC
672A04C0	MANIFOLD 4PT 1/2F2080 1CP	46.73	10	10		1.01753	7392364028
672A06C0	MANIFOLD 6PT 1/2F2080 1CP	62.92	10	10		1.33762	7392364041
672A08C0	MANIFOLD 8PT 1/2F2080 1CP	78.5	10	10		1.68144	7392364042
672A10C0	MANIFOLD 10PT 1/2F2080 1C	94.68	10	10		3.77073	7392364042
672A12C0	MANIFOLD 12PT 1/2F2080 1C	109.35	10	10		2.44423	7392364043
672A234107	F2080 MANIFOLD 1 CM IN	482.98	1	1		0	7392364324
672A234417	F2080 COE MANIFOLD 1 CM	118.25	1	5		2.1151	7392364324
672A234427	F2080 COE MANIFOLD 1 CM I	24.95	1	10		0.4367	7392364324
672A234437	F2080 COE MANIFOLD 1 CM	30.74	1	10		0.6012	7392364324
672A234447	F2080 COE MANIFOLD 1 CM	41.01	1	10		0.8118	7392364324
672A234457	F2080 COE MANIFOLD 1 CM	51.25	1	10		1.31370	7392364324
672A234467	F2080 COE MANIFOLD 1 CM	59.12	1	10		1.28	7392364323
672A234487	F2080 COE MANIFOLD 1 CM	78.84	1	10		1.2259	7392364323
672A234517	F2080 SOG MANIFOLD 3/4 F	157.28	1	5		2.2786	7392364323
672A234527	F2080 SOG MANIFOLD 3/4 F	39.13	1	10		0.603	7392364323
672A234537	F2080 SOG MANIFOLD 3/4 F	49.8	1	10		1.12063	7392364323
672A234547	F2080 SOG MANIFOLD 3/4 F	59.62	1	10		0.929	7392364323
672A234557	F2080 SOG MANIFOLD 3/4 F	70.58	1	10		1.57333	7392364323
672A234567	F2080 SOG MANIFOLD 3/4 F	77.79	1	10		1.7	7392364323
672A234587	F2080 SOG MANIFOLD 3/4 F	100.61	1	10		1.9	7392364323
672A234607	F2080 COE MANIFOLD 1 1/4	256.14	1	10		0	7392364323
672A234637	F2080 COE MANIFOLD 1 1/2	271	1	1		2.7863	7392364322
672A234647	F2080 MANIFOLD 1-1/2 CM IN	534.02	1	1		9.89	7392364322
672A234667	F2080 COE MANIFOLD 2 CM	389.65	1	1		7.84	7392364322
672A234677	F2080 MANIFOLD 2 CM IN 12-	617.67	1	1		11.6172	7392364322
672A266327	F2080 I MANIFOLD 3/4 F2080	37.54	1	10		0.725	7392364322
672A266337	F2080 I MANIFOLD 3/4 F2080	42.39	1	10		0.9166	7392364322
672A266347	F2080 I MANIFOLD 3/4 F2080	48.77	1	10		1.0885	7392364322
672A266357	F2080 1 CTL MANIFOLD 24-1/	248.24	1	5		11.5676	7392364324
672A266367	F2080 1 1/4 CTL MANIFOLD	275.7	1	1		7.1178	7392364322
672A266397	F2080 1 CTL MANIFOLD 12-1/	124.34	1	5		3.7838	7392364322
689A2201	ROUGH IN F2080 CLOSET SA	13.12	12	12	No Break	0.8952	7392364005
689A2211	ROUGH IN F2080 CLOSET SA	13.49	12	12	No Break	1.0506	7392364005
689A2291	ROUGH IN F2080 SHOWER S	13.96	12	12	No Break	0.8151	7392364005
689A3202	ROUGH IN F2080 LAV SALB 1	23.93	12	12	No Break	1.30810	7392364005

Item Number	Description	List Price	Min Qty	Case Qty	No Break Min Qty	Weight (lbs)	UPC
689A3212	ROUGH IN F2080 LAV SALB 2	24.3	12	12	No Break	1.48022	7392364005
689A5103	ROUGH IN F2080 WHC SALB	42.92	12	12	No Break	2.0005	7392364037
689A5113	ROUGH IN F2080 WHC SALB	43.26	12	12	No Break	2.1684	7392364042