



#### **Sioux Chief is an American Manufacturer**

Sioux Chief is a leading American manufacturer of rough plumbing products located in Kansas City, Missouri. We develop and manufacture some of the most diverse and innovative plumbing products in the country.

We focus on product innovation initiated by field research and interviews with plumbers, engineers, code officials and distributors. We're able to turn ideas into products quickly because we design and build our own machines. This also allows us to control manufacturing costs and minimize down-time, providing consistent, reliable value to our customers.

Our primary purpose as an American manufacturer is to provide better value to the professional plumbing and mechanical contractor by offering top-quality, innovative products with superior customer service. Our goal as an American innovator, is to make plumbing installation easier, more effective, and more efficient.

We strive every day to meet the demands of the rough plumbing industry with innovation, quality, and the American spirit.

# Trench Drain Catalog Edition 32.12

# **FastTrack<sup>™</sup> System**

Pre-Sloped System 387 - 388
Large-Capacity System 388 - 389
Low-Profile System 388 - 389

# HydroTec<sup>™</sup> System

| Maxi 100        | 393 - 394 |
|-----------------|-----------|
| Maxi 150        | 395 - 396 |
| Maxi 200        | 397       |
| <b>Maxi 300</b> | 397 - 398 |
| Maxi 400        | 398       |
| <b>Top 100</b>  | 399 - 401 |

# HydroBlock<sup>™</sup> System

| HydroBlock 100 | 405       |
|----------------|-----------|
| HydroBlock 150 | 405       |
| HydroBlock 200 | 405 - 406 |
| HydroBlock 300 | 406       |

# HydroLine<sup>™</sup> System

HydroLine 409



#### Making it in America – Since 1957

American manufacturing generates almost 11% of the U.S. gross domestic product. It accounts for 60% of our exports and employs nearly 12 million people. 70% of U.S. dollars spent on research and development come from the manufacturing sector.

Sioux Chief manufactures more than 90% of the products we sell, employing more than 500 American workers in the process. We design, build and maintain all of our own copper tube forming tools, machines, plastic injection molds, packaging, cleaning and testing equipment as we produce the highest quality American-made plumbing parts.

Buy American when you can. We all succeed when you do!

# **Trench Drains**

**FastTrack**<sup>™</sup> **System** 

**HydroTec**<sup>™</sup> **System** 

HydroBlock<sup>™</sup> System

**HydroLine**<sup>™</sup> **System** 

# **Trench Drains**

# FastTrack<sup>™</sup> System

Sloped and neutral channels made from engineered high-density polyethylene. DIN EN load ratings from A15 to D400. Designed in accordance with ASME A112.6.3 Standard for Floor and Trench Drains.

# **HydroTec**<sup>™</sup> System

Sloped and neutral channels constructed from reinforced concrete with integral edge rails. DIN EN load ratings up to F900. Designed in accordance with ASME A112.6.3 Standard for Floor and Trench Drains.

# HydroBlock<sup>™</sup> System

One-piece ductile iron channel and grate system designed for heavy loads and high-traffic areas. DIN EN load rating up to F900.

# **HydroLine**<sup>™</sup> **System**

Low-profile, one-piece channels made from ductile iron or aluminum lock into concrete slab for heavy-duty traffic. DIN EN load rating up to F900

# FastTrack<sup>™</sup> System


**Pre-Sloped System** 

**Large-Capacity System** 

**Low-Profile System** 

FastTrack<sup>™</sup> channels are tough, lightweight, and chemical-resistant. Channels include integral rebar clips, grate anchors and bottom outlet.

Multiple grate options available for applications from pedestrian traffic to heavy-duty loads.





### FastTrack™ Pre-Sloped System

| Item Number    | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |  |
|----------------|---|-------------|------------|-------------|----------|--|
|                | CHANNELS  |             |            |             |          |  |
| 865-N3         | Neutral Channel w/ Construction Cover - 72"<br>Long                         | В           | 1          | 1           | \$287.01 |  |
| 865-N5         | Neutral Channel w/ Construction Cover- 72" Long                             | В           | 1          | 1           | \$287.01 |  |
| 865-N7         | Neutral Channel w/ Construction Cover- 72" Long                             | В           | 1          | 1           | \$287.01 |  |
| 865-N9         | Neutral Channel w/ Construction Cover- 72" Long                             | В           | 1          | 1           | \$287.01 |  |
| 865-S1         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S2         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S3         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S4         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S5         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S6         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S7         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S8         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
| 865-S9         | Sloped Channel w/ Construction Cover- 72" Long                              | В           | 1          | 1           | \$287.01 |  |
|                | DUCTILE IRON GRATES   |             |            |             |          |  |
| 865-GIC        | Cross-Slot Ductile Iron Grate w/ Screws - Class C - 36" Long                | BI          | 1          | 1           | \$298.89 |  |
| 865-GICF       | Cross-Slot Ductile Iron Grate w/ Screws - Class F - 36" Long                | BI          | 1          | 1           | \$357.50 |  |
| 865-GID        | Diagonal-Slot Ductile Iron Grate w/ Screws -<br>Class C - 36" Long          | BI          | 1          | 1           | \$298.89 |  |
| 865-GIS        | Slotted Ductile Iron Grate w/ Screws - Class D - 36" Long                   | BI          | 1          | 1           | \$282.72 |  |
|                | STAINLESS STEEL GRATES  |             |            |             |          |  |
| 865-GSA        | Angle-Slot Grate w/ Screws - Class A - 36" Long                             | BI          | 1          | 1           | \$242.34 |  |
| 865-GSB        | Brick Slot Stainless Steel Grate w/ Screws - Class C - 36" Long             | BI          | 1          | 2           | \$602.26 |  |
| 865-GSBC       | Stainless Steel Access Section for Brick Slot<br>Grate - Class C - 12" Long | В           | 1          | 1           | \$855.80 |  |
| 865-GSD        | Perforated Stainless Steel Grate w/ Screws -<br>Class A - 36" Long          | BI          | 1          | 2           | \$250.43 |  |
| 865-GSS        | Slotted Stainless Steel Grate w/ Screws - Class A - 36" Long                | BI          | 1          | 1           | \$246.00 |  |
| 865-GSSR       | Reinforced Slotted Stainless Steel Grate w/<br>Screws - Class C - 36" Long  | BI          | 1          | 1           | \$632.50 |  |
|                | GALVANIZED STEEL GRATES   |             |            |             |          |  |
| 865-GGD        | Perforated Galvanized Steel Grate w/ Screws -<br>Class A - 36" Long         | BI          | 1          | 2           | \$218.12 |  |
| 865-GGS        | Slotted Galvanized Steel Grate w/ Screws - Class A - 36" Long               | BI          | 1          | 1           | \$193.19 |  |
| 865-GGSR       | Reinforced Slotted Galvanized Steel Grate w/<br>Screws - Class C - 36" Long | BI          | 1          | 1           | \$285.91 |  |
| POLYMER GRATES |   |             |            |             |          |  |
| 865-GHC        | Cross-Slot GFPP Grate w/ Screws - Class A - 36"<br>Long                     | BI          | 1          | 1           | \$186.98 |  |
| 865-GHS        | Slotted HDPE Grate w/ Screws - Class A - 36'' Long                          | BI          | 1          | 2           | \$161.56 |  |







865-GIS



865-GSA



865-GHC



### FastTrack™ Pre-Sloped System (Cont)

| Item Number | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |  |  |
|-------------|--|-------------|------------|-------------|----------|--|--|
| ACCESSORIES |  |             |            |             |          |  |  |
| 865-A       | Grate Anchor - Stainless — Fits All Channels                               | В           | 1          | 20          | \$7.19   |  |  |
| 865-C       | Construction Cover - HDPE 36" Long - Fits All<br>FastTrack Channels        | В           | 1          | 1           | \$18.40  |  |  |
| 865-CB4     | 4" Outlet Adapter for Catch Basin - Fits 3" & 4"<br>Sch. 40, 4" SDR35 pipe | BI          | 1          | 1           | \$46.64  |  |  |
| 865-CB6     | 6" Outlet Adapter for Catch Basin - Fits 6" SDR35 pipe                     | BI          | 1          | 1           | \$46.64  |  |  |
| 865-D       | Dome Bottom Strainer - Stainless Steel — For<br>Bottom Outlet              | BI          | 1          | 1           | \$40.54  |  |  |
| 865-EC      | End Cap - HDPE Flat Cap — Fits All Channels                                | BI          | 1          | 50          | \$32.77  |  |  |
| 865-EG      | SS Edge Guards w/Screws, 36" Long, 2/Box                                   | BI          | 1          | 1           | \$130.98 |  |  |
| 865-E0      | End Outlet - HDPE w/ 4" No-Hub Connection                                  | BI          | 1          | 25          | \$32.77  |  |  |
| 865-F       | Ductile Iron Grate Frame - 36" Long w/ Screws                              | BI          | 1          | 1           | \$185.79 |  |  |
| 865-FB      | Debris Basket - Fits FastTrack Catch Basin                                 | BI          | 1          | 1           | \$150.97 |  |  |
| 865-FC      | Catch Basin - 36" Long - Fits All FastTrack<br>Channels                    | BI          | 1          | 1           | \$454.57 |  |  |
| 865-FCB     | Catch Basin w/Basket - 36" Long - Fits All<br>FastTrack Channels           | BI          | 1          | 1           | \$606.32 |  |  |
| 865-S15     | Screws For FastTrack Grate, 1-1/2", 3/Bag                                  | BI          | 1          | 100         | \$5.95   |  |  |



| Item Number | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|-------------|---|-------------|------------|-------------|------------|
|             | CHANNEL & GRATE UNITS   |             |            |             |            |
| 865-TNDS    | Neutral Channel Section w/ Slotted Class D Grate - One-Meter Long | В           | 1          | 1           | \$831.60   |
| 865-TNFM    | Neutral Channel Section w/ Mesh Class F Grate -<br>One-Meter Long | В           | 1          | 1           | \$1,149.50 |
|             | ACCESSORIES   |             |            |             |            |
| 865-TEC     | End Cap - PVC flat cap  | В           | 1          | 1           | \$48.90    |
| 865-TE0     | End Outlet - PVC with 8" Connection                               | В           | 1          | 1           | \$121.00   |
| 865-TNB     | Removable Debris Basket for Catch Basin -<br>Stainless Steel      | В           | 1          | 1           | \$545.60   |
| 865-TNCBDS  | Catch Basin w/ Slotted Class D Grate - Half-<br>Meter Long        | В           | 1          | 1           | \$1,967.90 |
| 865-TNCBFM  | Catch Basin w/ Mesh Class F Grate - Half-Meter<br>Long            | В           | 1          | 1           | \$2,130.70 |



865-TNDS



865-TNCBDS

865-NS1

FastTrack™ Low-Profile System

| Item Number         | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |  |
|---------------------|--|-------------|------------|-------------|----------|--|
|                     | CHANNELS   |             |            |             |          |  |
| 865-NS1             | Shallow Neutral Channel w/ Construction Cover-<br>36" Long         | BI          | 1          | 1           | \$143.55 |  |
| DUCTILE IRON GRATES |  |             |            |             |          |  |
| 865-GIC             | Cross-Slot Ductile Iron Grate w/ Screws - Class C - 36" Long       | BI          | 1          | 1           | \$298.89 |  |
| 865-GICF            | Cross-Slot Ductile Iron Grate w/ Screws - Class F - 36" Long       | BI          | 1          | 1           | \$357.50 |  |
| 865-GID             | Diagonal-Slot Ductile Iron Grate w/ Screws -<br>Class C - 36" Long | BI          | 1          | 1           | \$298.89 |  |
| 865-GIS             | Slotted Ductile Iron Grate w/ Screws - Class D - 36" Long          | BI          | 1          | 1           | \$282.72 |  |

### FastTrack™ Low-Profile System (Cont)

| Item Number            | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |  |
|------------------------|---|-------------|------------|-------------|----------|--|
| STAINLESS STEEL GRATES |   |             |            |             |          |  |
| 865-GSA                | Angle-Slot Grate w/ Screws - Class A - 36" Long                             | BI          | 1          | 1           | \$242.34 |  |
| 865-GSB                | Brick Slot Stainless Steel Grate w/ Screws - Class C - 36" Long             | BI          | 1          | 2           | \$602.26 |  |
| 865-GSBC               | Stainless Steel Access Section for Brick Slot<br>Grate - Class C - 12" Long | В           | 1          | 1           | \$855.80 |  |
| 865-GSD                | Perforated Stainless Steel Grate w/ Screws -<br>Class A - 36" Long          | BI          | 1          | 2           | \$250.43 |  |
| 865-GSS                | Slotted Stainless Steel Grate w/ Screws - Class A - 36" Long                | BI          | 1          | 1           | \$246.00 |  |
| 865-GSSR               | Reinforced Slotted Stainless Steel Grate w/<br>Screws - Class C - 36" Long  | BI          | 1          | 1           | \$632.50 |  |
|                        | GALVANIZED STEEL GRATES   |             |            |             |          |  |
| 865-GGD                | Perforated Galvanized Steel Grate w/ Screws -<br>Class A - 36" Long         | BI          | 1          | 2           | \$218.12 |  |
| 865-GGS                | Slotted Galvanized Steel Grate w/ Screws - Class A - 36" Long               | BI          | 1          | 1           | \$193.19 |  |
| 865-GGSR               | Reinforced Slotted Galvanized Steel Grate w/<br>Screws - Class C - 36" Long | BI          | 1          | 1           | \$285.91 |  |
|                        | POLYMER GRATES  |             |            |             |          |  |
| 865-GHC                | Cross-Slot GFPP Grate w/ Screws - Class A - 36"<br>Long                     | BI          | 1          | 1           | \$186.98 |  |
| 865-GHS                | Slotted HDPE Grate w/ Screws - Class A - 36"<br>Long                        | BI          | 1          | 2           | \$161.56 |  |
|                        | ACCESSORIES   |             |            |             |          |  |
| 865-A                  | Grate Anchor - Stainless — Fits All Channels                                | В           | 1          | 20          | \$7.19   |  |
| 865-C                  | Construction Cover - HDPE 36" Long - Fits All<br>FastTrack Channels         | В           | 1          | 1           | \$18.40  |  |
| 865-EG                 | SS Edge Guards w/Screws, 36" Long, 2/Box                                    | BI          | 1          | 1           | \$130.98 |  |
| 865-F                  | Ductile Iron Grate Frame - 36" Long w/ Screws                               | BI          | 1          | 1           | \$185.79 |  |
| 865-NSC                |   | BI          | 1          | 50          | \$5.78   |  |
| 865-S15                | Screws For FastTrack Grate, 1-1/2", 3/Bag                                   | BI          | 1          | 100         | \$5.95   |  |



865-GSA



865-GHC



Visit https://products.siouxchief.com for up-to-date prices


| Notes: |  |
|--------|--|
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |


# HydroTec<sup>™</sup> System

HydroTec<sup>™</sup> Maxi

HydroTec<sup>™</sup> Top

HydroTec™ trench drain systems are constructed from fiber-reinforced concrete channels with integral ductile iron (Maxi system) or galvanized steel (Top system) edge rails. Grates are available with bolt-less locking feature or 'F1' locking option.





#### HydroTec™ MAXI System

#### Maxi 100 - 4" Wide





865-M4DICH







### HydroTec™ MAXI System (Cont)

Maxi 100 - 4" Wide

| Item Number | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |
|-------------|--|-------------|------------|-------------|----------|
|             | CHANNELS   |             |            |             |          |
| 865-M4S17   | One-Meter, 4" Wide, Slope # 17                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S18   | One-Meter, 4" Wide, Slope # 18                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S19   | One-Meter, 4" Wide, Slope # 19                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S20   | One-Meter, 4" Wide, Slope # 20                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S21   | One-Meter, 4" Wide, Slope # 21                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S22   | One-Meter, 4" Wide, Slope # 22                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S23   | One-Meter, 4" Wide, Slope # 23                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S24   | One-Meter, 4" Wide, Slope # 24                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S25   | One-Meter, 4" Wide, Slope # 25                                     | В           | 1          | 1           | \$228.42 |
| 865-M4S26   | One-Meter, 4" Wide, Slope # 26                                     | В           | 1          | 1           | \$188.96 |
| 865-M4S27   | One-Meter, 4" Wide, Slope # 27                                     | В           | 1          | 1           | \$188.96 |
| 865-M4S28   | One-Meter, 4" Wide, Slope # 28                                     | В           | 1          | 1           | \$188.96 |
| 865-M4S29   | One-Meter, 4" Wide, Slope # 29                                     | В           | 1          | 1           | \$188.96 |
| 865-M4S30   | One-Meter, 4" Wide, Slope # 30                                     | В           | 1          | 1           | \$188.96 |
|             | LOW-PROFILE CHANNELS   |             |            |             |          |
| 865-M4LP00  | One-Meter, 4" Wide × 3.15" Height, Neutral                         | В           | 1          | 1           | \$228.42 |
| 865-M4LP005 | Half-Meter, 4" Wide × 3.15" Height, Neutral                        | В           | 1          | 1           | \$200.86 |
| 865-M4LP00B | One-Meter, 4" Wide × 3.15" Height, Neutral,<br>Bottom Out          | В           | 1          | 1           | \$289.32 |
| 865-M4N00   | One-Meter, 4" Wide × 4.33" Height, Neutral                         | В           | 1          | 1           | \$228.42 |
| 865-M4N005  | Half-Meter, 4" Wide × 4.33" Height, Neutral                        | В           | 1          | 1           | \$200.86 |
| 865-M4N00B  | One-Meter, 4" Wide × 4.33" Height, Neutral,<br>Bottom Out          | В           | 1          | 1           | \$289.32 |
|             | ACCESSORIES  |             |            |             |          |
| 865-4BK     | Installation Bracket for Maxi/Top 100 Channels                     | В           | 1          | 1           | \$53.79  |
| 865-4EC     | 4" Closed End Cap - 2 Piece  | В           | 1          | 1           | \$49.47  |
| 865-4LPEC3  | 4" Closed End Cap For 3.15" Channel                                | В           | 1          | 1           | \$35.84  |
| 865-4LPEC4  | 4" Closed End Cap For 4.33" Channel                                | В           | 1          | 1           | \$35.84  |
| 865-4LR     | Grate-Locking Rod For 4" Channels                                  | В           | 1          | 1           | \$2.09   |
| 865-40C     | 4" Open End Cap - 2 Piece  | В           | 1          | 1           | \$49.47  |
| 865-4PC     | 4" PVC S&D Pipe Connection   | В           | 1          | 1           | \$17.92  |
| 865-4RS     | 4" Rubber Sleeve / Seal For Bottom Outs                            | В           | 1          | 1           | \$65.80  |
| 865-M4CB    | Half-Meter, Catch Basin w/ Galv Steel Debris<br>Basket - 6" Outlet | В           | 1          | 1           | \$446.70 |
| 865-SHOVEL  | Cleaning Shovel For Mini/Top/Maxi                                  | В           | 1          | 1           | \$245.98 |
| 865-T00L    | Grate-Locking Tool   | В           | 1          | 1           | \$47.31  |
|             |  |             |            |             |          |

### HydroTec™ MAXI System

#### Maxi 150 - 6" Wide

| Item Number   | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |
|---------------|--|-------------|------------|-------------|----------|
|               | CHANNELS - CLASS D GRATE   |             |            |             |          |
| 865-M6N005DA  | Half-Meter, 6" Wide × 8.27" Height, Neutral w/<br>Class D ADA Ductile Iron Grate             | В           | 1          | 1           | \$385.10 |
| 865-M6N005SDA | Half-Meter, 6" Wide × 8.27" Height, Neutral,<br>Side Out w/ Class D ADA Ductile Iron Grate   | В           | 1          | 1           | \$449.44 |
| 865-M6N00BDA  | One-Meter, 6" Wide × 8.27" Height, Neutral,<br>Bottom Out w/ Class D ADA Ductile Iron Grate  | В           | 1          | 1           | \$782.21 |
| 865-M6N00DA   | One-Meter, 6" Wide × 8.27" Height, Neutral w/<br>Class D ADA Ductile Iron Grate              | В           | 1          | 1           | \$632.65 |
| 865-M6N055DA  | Half-Meter, 6" Wide × 10.24" Height, Neutral w/<br>Class D ADA Ductile Iron Grate            | В           | 1          | 1           | \$385.10 |
| 865-M6N055SDA | Half-Meter, 6" Wide × 10.24" Height, Neutral,<br>Side Out w/ Class D ADA Ductile Iron Grate  | В           | 1          | 1           | \$449.44 |
| 865-M6N05BDA  | One-Meter, 6" Wide × 10.24" Height, Neutral,<br>Bottom Out w/ Class D ADA Ductile Iron Grate | В           | 1          | 1           | \$782.21 |
| 865-M6N05DA   | One-Meter, 6" Wide × 10.24" Height, Neutral w/<br>Class D ADA Ductile Iron Grate             | В           | 1          | 1           | \$632.65 |
| 865-M6N105DA  | Half-Meter, 6" Wide × 12.20" Height, Neutral w/<br>Class D ADA Ductile Iron Grate            | В           | 1          | 1           | \$385.10 |
| 865-M6N105SDA | Half-Meter, 6" Wide × 12.20" Height, Neutral,<br>Side Out w/ Class D ADA Ductile Iron Grate  | В           | 1          | 1           | \$449.44 |
| 865-M6N10BDA  | One-Meter, 6" Wide × 12.20" Height, Neutral,<br>Bottom Out w/ Class D ADA Ductile Iron Grate | В           | 1          | 1           | \$782.21 |
| 865-M6N10DA   | One-Meter, 6" Wide × 12.20" Height, Neutral w/<br>Class D ADA Ductile Iron Grate             | В           | 1          | 1           | \$632.65 |
| 865-M6S01DA   | One-Meter, 6" Wide, Slope # 1 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S02DA   | One-Meter, 6" Wide, Slope # 2 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S03DA   | One-Meter, 6" Wide, Slope # 3 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S04DA   | One-Meter, 6" Wide, Slope # 4 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S05DA   | One-Meter, 6" Wide, Slope # 5 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S06DA   | One-Meter, 6" Wide, Slope # 6 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S07DA   | One-Meter, 6" Wide, Slope # 7 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S08DA   | One-Meter, 6" Wide, Slope # 8 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S09DA   | One-Meter, 6" Wide, Slope # 9 w/ Class D ADA Ductile Iron Grate                              | В           | 1          | 1           | \$632.65 |
| 865-M6S10DA   | One-Meter, 6" Wide, Slope # 10 w/ Class D ADA Ductile Iron Grate                             | В           | 1          | 1           | \$632.65 |
|               | CHANNELS - CLASS F GRATE   |             |            |             |          |
| 865-M6N005FA  | Half-Meter, 6" Wide × 8.27" Height, Neutral w/<br>Class F ADA Ductile Iron Grate             | В           | 1          | 1           | \$444.37 |
| 865-M6N005SFA | Half-Meter, 6" Wide × 8.27" Height, Neutral,<br>Side Out w/ Class F ADA Ductile Iron Grate   | В           | 1          | 1           | \$511.54 |
| 865-M6N00BFA  | One-Meter, 6" Wide × 8.27" Height, Neutral,<br>Bottom Out w/ Class F ADA Ductile Iron Grate  | В           | 1          | 1           | \$877.41 |
| 865-M6N00FA   | One-Meter, 6" Wide × 8.27" Height, Neutral w/<br>Class F ADA Ductile Iron Grate              | В           | 1          | 1           | \$713.05 |
| 865-M6N055FA  | Half-Meter, 6" Wide × 10.24" Height, Neutral w/<br>Class F ADA Ductile Iron Grate            | В           | 1          | 1           | \$444.37 |
| 865-M6N055SFA | Half-Meter, 6" Wide × 10.24" Height, Neutral,<br>Side Out w/ Class F ADA Ductile Iron Grate  | В           | 1          | 1           | \$511.54 |
| 865-M6N05BFA  | One-Meter, 6" Wide × 10.24" Height, Neutral,<br>Bottom Out w/ Class F ADA Ductile Iron Grate | В           | 1          | 1           | \$861.01 |
|               |  |             |            |             |          |



865-M6S01DA







### HydroTec™ MAXI System (Cont)

#### Maxi 150 - 6" Wide

| Item Number    | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|----------------|--|-------------|------------|-------------|------------|
|                | CHANNELS - CLASS F GRATE   |             |            |             |            |
| 865-M6N05FA    | One-Meter, 6" Wide × 10.24" Height, Neutral w/<br>Class F ADA Ductile Iron Grate                 | В           | 1          | 1           | \$713.05   |
| 865-M6N105FA   | Half-Meter, 6" Wide × 12.20" Height, Neutral w/<br>Class F ADA Ductile Iron Grate                | В           | 1          | 1           | \$444.37   |
| 865-M6N105SFA  | Half-Meter, 6" Wide × 12.20" Height, Neutral,<br>Side Out w/ Class F ADA Ductile Iron Grate      | В           | 1          | 1           | \$511.54   |
| 865-M6N10BFA   | One-Meter, 6" Wide × 12.20" Height, Neutral,<br>Bottom Out w/ Class F ADA Ductile Iron Grate     | В           | 1          | 1           | \$861.01   |
| 865-M6N10FA    | One-Meter, 6" Wide × 12.20" Height, Neutral w/<br>Class F ADA Ductile Iron Grate                 | В           | 1          | 1           | \$713.05   |
| 865-M6S01FA    | One-Meter, 6" Wide, Slope # 1 w/ Class F ADA Ductile Iron Grate                                  | В           | 1          | 1           | \$713.05   |
| 865-M6S02FA    | One-Meter, 6" Wide, Slope # 2 w/ Class F ADA Ductile Iron Grate                                  | В           | 1          | 1           | \$713.05   |
| 865-M6S03FA    | One-Meter, 6" Wide, Slope # 3 w/ Class F ADA Ductile Iron Grate                                  | В           | 1          | 1           | \$713.05   |
| 865-M6S04FA    | One-Meter, 6" Wide, Slope # 4 w/ Class F ADA Ductile Iron Grate                                  | В           | 1          | 1           | \$713.05   |
| 865-M6S05FA    | One-Meter, 6" Wide, Slope # 5 w/ Class F ADA<br>Ductile Iron Grate                               | В           | 1          | 1           | \$713.05   |
| 865-M6S06FA    | One-Meter, 6" Wide, Slope # 6 w/ Class F ADA<br>Ductile Iron Grate                               | В           | 1          | 1           | \$713.05   |
| 865-M6S07FA    | One-Meter, 6" Wide, Slope # 7 w/ Class F ADA<br>Ductile Iron Grate                               | В           | 1          | 1           | \$713.05   |
| 865-M6S08FA    | One-Meter, 6" Wide, Slope # 8 w/ Class F ADA<br>Ductile Iron Grate                               | В           | 1          | 1           | \$713.05   |
| 865-M6S09FA    | One-Meter, 6" Wide, Slope # 9 w/ Class F ADA<br>Ductile Iron Grate                               | В           | 1          | 1           | \$713.05   |
| 865-M6S10FA    | One-Meter, 6" Wide, Slope # 10 w/ Class F ADA Ductile Iron Grate                                 | В           | 1          | 1           | \$713.05   |
|                | CHANNELS - CLASS F GRATE WITH F1-LOCKING FE  | ATUR        | E          |             |            |
| 865-M6N005F1A  | Half-Meter, 6" Wide × 8.27" Height, Neutral w/<br>F1 Class F ADA Ductile Iron Grate              | В           | 1          | 1           | \$483.52   |
| 865-M6N005SF1A | Half-Meter, 6" Wide × 8.27" Height, Neutral,<br>Side Out w/ F1 Class F ADA Ductile Iron Grate    | В           | 1          | 1           | \$550.62   |
| 865-M6N00BF1A  | One-Meter, 6'' Wide × 8.27'' Height, Neutral,<br>Bottom Out w/ F1 Class F ADA Ductile Iron Grate | В           | 1          | 1           | \$939.25   |
| 865-M6N00F1A   | One-Meter, 6" Wide × 8.27" Height, Neutral w/<br>F1 Class F ADA Ductile Iron Grate               | В           | 1          | 1           | \$791.32   |
|                | ACCESSORIES  |             |            |             | _          |
| 865-6BK        | Installation Bracket for Maxi 150 Channels   | В           | 1          | 1           | \$66.29    |
| 865-6LR        | Grate-Locking Rod For 6" Channels  | В           | 1          | 1           | \$2.80     |
| 865-6PC        | PVC S&D Pipe Connection for 6" Outs  | В           | 1          | 1           | \$32.96    |
| 865-6PCE       | 6" Oval PVC Pipe Connection  | В           | 1          | 1           | \$54.46    |
| 865-6RS        | Rubber Sleeve/Seal For 6" Bottom Outs  | В           | 1          | 1           | \$78.83    |
| 865-6UC        | 6" Universal End Cap - Open & Closed   | BI          | 1          | 20          | \$59.87    |
| 865-M6CBDA     | Half-Meter, Catch Basin w/ Galv Basket And<br>Class D Ductile Iron ADA Grate - 6" Outlet         | В           | 1          | 1           | \$1,084.56 |
| 865-M6CBF1A    | Half-Meter, Catch Basin w/ Galv Basket And F1<br>Class F ADA Grate - 6" Outlet                   | В           | 1          | 1           | \$1,183.37 |
| 865-M6CBFA     | Half-Meter, Catch Basin w/ Galv Basket And<br>Class F ADA Ductile Iron Grate - 6" Outlet         | В           | 1          | 1           | \$1,144.24 |
| 865-SHOVEL     | Cleaning Shovel For Mini/Top/Maxi  | В           | 1          | 1           | \$245.98   |
| 865-T00L       | Grate-Locking Tool   | В           | 1          | 1           | \$47.31    |
|                | <u> </u>   |             |            |             |            |

# HydroTec™ MAXI System

#### Maxi 200 - 8" Wide

| Item Number    | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|----------------|---|-------------|------------|-------------|------------|
|                | CHANNELS - CLASS D GRATE  |             |            |             |            |
| 865-M8N005DA   | Half-Meter, 8" Wide × 12.20" Height w/ Class D<br>ADA Ductile Iron Grate                    | В           | 1          | 1           | \$503.75   |
| 865-M8N005SDA  | Half-Meter, 8" Wide × 12.20" Height, Side Out w/ Class D ADA Ductile Iron Grate             | В           | 1          | 1           | \$559.27   |
| 865-M8N00BDA   | One-Meter, 8" Wide × 12.20" Height, Bottom<br>Out w/ Class D ADA Ductile Iron Grate         | В           | 1          | 1           | \$928.86   |
| 865-M8N00DA    | One-Meter, 8" Wide × 12.20" Height w/ Class D<br>ADA Ductile Iron Grate                     | В           | 1          | 1           | \$834.86   |
|                | CHANNELS - CLASS F GRATE  |             |            |             |            |
| 865-M8N005FA   | Half-Meter, 8" Wide × 12.20" Height w/ Class F<br>ADA Ductile Iron Grate                    | В           | 1          | 1           | \$552.54   |
| 865-M8N005SFA  | Half-Meter, 8" Wide × 12.20" Height, Side Out w/ Class F ADA Ductile Iron Grate             | В           | 1          | 1           | \$619.42   |
| 865-M8N00BFA   | One-Meter, 8" Wide × 12.20" Height, Bottom<br>Out w/ Class F ADA Ductile Iron Grate         | В           | 1          | 1           | \$1,011.94 |
| 865-M8N00FA    | One-Meter, 8" Wide × 12.20" Height w/ Class F<br>ADA Ductile Iron Grate                     | В           | 1          | 1           | \$921.21   |
|                | CHANNELS - CLASS F GRATE WITH F1-LOCKING F  | EATUR       | E          |             |            |
| 865-M8N005F1A  | Half-Meter, 8" Wide × 12.20" Height w/ F1 Class<br>F ADA Ductile Iron Grate                 | В           | 1          | 1           | \$562.38   |
| 865-M8N005SF1A | Half-Meter, 8" Wide × 12.20" Height, Side Out<br>w/ F1 Class F ADA Ductile Iron Grate       | В           | 1          | 1           | \$662.07   |
| 865-M8N00BF1A  | One-Meter, 8" Wide × 12.20" Height, Bottom<br>Out w/ F1 Class F ADA Ductile Iron Grate      | В           | 1          | 1           | \$1,097.19 |
| 865-M8N00F1A   | One-Meter, 8" Wide × 12.20" Height w/ F1 Class<br>F ADA Ductile Iron Grate                  | В           | 1          | 1           | \$938.04   |
|                | ACCESSORIES   |             |            |             |            |
| 865-6PC        | PVC S&D Pipe Connection for 6" Outs   | В           | 1          | 1           | \$32.96    |
| 865-6RS        | Rubber Sleeve/Seal For 6" Bottom Outs   | В           | 1          | 1           | \$78.83    |
| 865-8BK        | Installation Bracket for Maxi 200 Channels  | В           | 1          | 1           | \$72.29    |
| 865-8ECD       | 8" Closed End Cap - 1 Piece Iron  | В           | 1          | 1           | \$116.31   |
| 865-8LR        | Grate-Locking Rod For 8" Channels   | В           | 1          | 1           | \$2.61     |
| 865-80CD       | 8" Open End Cap - 1 Piece Iron  | В           | 1          | 1           | \$340.98   |
| 865-M8CBDA     | Half-Meter, Catch Basin w/ Galv Basket And<br>Class D ADA Ductile Iron Grate - 6" Outlet    | В           | 1          | 1           | \$1,068.54 |
| 865-M8CBF1A    | Half-Meter, Catch Basin w/ Galv Basket And F1<br>Class F ADA Ductile Iron Grate - 6" Outlet | В           | 1          | 1           | \$1,172.84 |
| 865-M8CBFA     | Half-Meter, Catch Basin w/ Galv Basket And<br>Class F ADA Ductile Iron Grate - 6" Outlet    | В           | 1          | 1           | \$1,130.22 |
| 865-SHOVEL     | Cleaning Shovel For Mini/Top/Maxi   | В           | 1          | 1           | \$245.98   |
| 865-T00L       | Grate-Locking Tool  | В           | 1          | 1           | \$47.31    |



865-M8N00DA



#### HydroTec™ MAXI System

#### Maxi 300 - 12" Wide

| Item Number    | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |  |  |  |
|----------------|--|-------------|------------|-------------|------------|--|--|--|
|                | CHANNELS - CLASS E GRATE WITH F1-LOCKING FEATURE                                     |             |            |             |            |  |  |  |
| 865-M12PN005EA | Half-Meter, 12" Wide × 15.75" Height w/ Class<br>E ADA Ductile Iron Grate            | В           | 1          | 1           | \$968.12   |  |  |  |
| 865-M12PN00BEA | One-Meter, 12" Wide × 15.75" Height, Bottom<br>Out w/ Class E ADA Ductile Iron Grate | В           | 1          | 1           | \$1,891.48 |  |  |  |
| 865-M12PN00EA  | One-Meter, 12" Wide × 15.75" Height w/ Class E ADA Ductile Iron Grate                | В           | 1          | 1           | \$1,688.97 |  |  |  |




#### HydroTec™ MAXI System (Cont)

#### Maxi 300 - 12" Wide

| Item Number    | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Oty | Price      |
|----------------|--|-------------|------------|-------------|------------|
|                | CHANNELS - CLASS F GRATE WITH F1-LOCKING FI  | ATUR        | E          |             |            |
| 865-M12PN005FA | Half-Meter, 12" Wide × 15.75" Height w/ Class F<br>ADA Ductile Iron Grate                | В           | 1          | 1           | \$1,056.48 |
| 865-M12PN00BFA | One-Meter, 12" Wide × 15.75" Height, Bottom<br>Out w/ Class F ADA Ductile Iron Grate     | В           | 1          | 1           | \$2,054.49 |
| 865-M12PN00FA  | One-Meter, 12" Wide × 15.75" Height w/ Class F<br>ADA Ductile Iron Grate                 | В           | 1          | 1           | \$1,850.22 |
|                | ACCESSORIES  |             |            |             |            |
| 865-12ECD      | 12" Closed End Cap - 1 Piece Iron  | В           | 1          | 1           | \$172.07   |
| 865-120CD      | 12" Open End Cap - 1 Piece Iron  | В           | 1          | 1           | \$340.54   |
| 865-8PC        | PVC S&D Pipe Connection for 8" Outs  | В           | 1          | 1           | \$48.87    |
| 865-8RS        | Rubber Sleeve/Seal For 8" Bottom Outs  | В           | 1          | 1           | \$100.34   |
| 865-M12PCBEA   | Half-Meter, Catch Basin w/ Galv Basket And<br>Class E ADA Ductile Iron Grate - 8" Outlet | В           | 1          | 1           | \$2,130.13 |
| 865-M12PCBFA   | Half-Meter, Catch Basin w/ Galv Basket And<br>Class F ADA Ductile Iron Grate - 8" Outlet | В           | 1          | 1           | \$2,335.91 |
| 865-SHOVEL     | Cleaning Shovel For Mini/Top/Maxi  | В           | 1          | 1           | \$245.98   |

#### HydroTec™ MAXI System

#### Maxi 400 - 16" Wide





### HydroTec™ TOP System

#### Top 100 - 4" Wide

| Item Number | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |
|-------------|---|-------------|------------|-------------|----------|
|             | GRATES  |             |            |             |          |
| 865-T4DI5CL | Half-Meter, Class C, Ductile Iron, Long Slot, ADA           | В           | 1          | 1           | \$73.93  |
| 865-T4DI5CX | Half-Meter, Class C, Ductile Iron, Cross-Slot               | В           | 1          | 1           | \$68.54  |
| 865-T4GS5AS | Half-Meter, Class A, Galvanized Steel, Slotted              | В           | 1          | 1           | \$37.16  |
| 865-T4GS5CM | Half-Meter, Class C, Galvanized Steel, Mesh, ADA            | В           | 1          | 1           | \$98.25  |
| 865-T4GS5CP | Half-Meter, Class C, Galvanized Steel, Perforated           | В           | 1          | 1           | \$106.49 |
| 865-T4GS5CS | Half-Meter, Class C, Galvanized Steel, Slotted              | В           | 1          | 1           | \$93.15  |
| 865-T4GSA5P | Half-Meter, Class A, Galvanized Steel, Perforated           | В           | 1          | 1           | \$58.16  |
| 865-T4GSAP  | One-Meter, Class A, Galvanized Steel, Perforated            | В           | 1          | 1           | \$92.72  |
| 865-T4GSAS  | One-Meter, Class A, Galvanized Steel, Slotted               | В           | 1          | 1           | \$61.15  |
| 865-T4GSCM  | One-Meter, Class C, Galvanized Steel, Mesh, ADA             | В           | 1          | 1           | \$142.23 |
| 865-T4GSCP  | One-Meter, Class C, Galvanized Steel, Perforated            | В           | 1          | 1           | \$175.32 |
| 865-T4GSCS  | One-Meter, Class C, Galvanized Steel, Slotted               | В           | 1          | 1           | \$131.85 |
| 865-T4P5BL  | Half-Meter, Class B, Plastic, Long Slot, ADA                | В           | 1          | 1           | \$73.93  |
|             | CHANNELS  |             |            |             |          |
| 865-T4N10   | One-Meter, 4" Wide × 6.30" Height, Neutral                  | В           | 1          | 1           | \$147.82 |
| 865-T4N105S | Half-Meter, 4" Wide × 6.30" Height, Neutral,<br>Side Out    | В           | 1          | 1           | \$126.99 |
| 865-T4N10B  | One-Meter, 4'' Wide × 6.30'' Height, Neutral,<br>Bottom Out | В           | 1          | 1           | \$206.94 |
| 865-T4N15   | One-Meter, 4" Wide × 7.28 Height, Neutral                   | В           | 1          | 1           | \$147.82 |
| 865-T4N155  | Half-Meter, 4" Wide × 7.28 Height, Neutral                  | В           | 1          | 1           | \$99.39  |
| 865-T4N15B  | One-Meter, 4'' Wide × 7.28 Height, Neutral,<br>Bottom Out   | В           | 1          | 1           | \$206.94 |
| 865-T4N20   | One-Meter, 4" Wide × 8.27 Height, Neutral                   | В           | 1          | 1           | \$147.82 |
| 865-T4N205  | Half-Meter, 4" Wide × 8.27 Height, Neutral                  | В           | 1          | 1           | \$99.39  |
| 865-T4N205S | Half-Meter, 4" Wide × 8.27 Height, Neutral, Side Out        | В           | 1          | 1           | \$126.99 |
| 865-T4N20B  | One-Meter, 4" Wide × 8.27 Height, Neutral,<br>Bottom Out    | В           | 1          | 1           | \$206.94 |
| 865-T4S01   | One-Meter, 4" Wide, Slope # 1 w/ Galv Edge-Rails            | В           | 1          | 1           | \$147.82 |
| 865-T4S02   | One-Meter, 4" Wide, Slope # 2 w/ Galv Edge-<br>Rails        | В           | 1          | 1           | \$147.82 |
| 865-T4S03   | One-Meter, 4" Wide, Slope # 3 w/ Galv Edge-Rails            | В           | 1          | 1           | \$147.82 |
| 865-T4S04   | One-Meter, 4" Wide, Slope # 4 w/ Galv Edge-<br>Rails        | В           | 1          | 1           | \$147.82 |
| 865-T4S05   | One-Meter, 4" Wide, Slope # 5 w/ Galv Edge-<br>Rails        | В           | 1          | 1           | \$147.82 |
| 865-T4S06   | One-Meter, 4" Wide, Slope # 6 w/ Galv Edge-Rails            | В           | 1          | 1           | \$147.82 |
| 865-T4S07   | One-Meter, 4" Wide, Slope # 7 w/ Galv Edge-Rails            | В           | 1          | 1           | \$147.82 |
| 865-T4S08   | One-Meter, 4" Wide, Slope # 8 w/ Galv Edge-Rails            | В           | 1          | 1           | \$147.82 |
| 865-T4S09   | One-Meter, 4" Wide, Slope # 9 w/ Galv Edge-Rails            | В           | 1          | 1           | \$147.82 |
| 865-T4S10   | One-Meter, 4" Wide, Slope # 10 w/ Galv Edge-Rails           | В           | 1          | 1           | \$147.82 |
| 865-T4S11   | One-Meter, 4" Wide, Slope # 11 w/ Galv Edge-Rails           | В           | 1          | 1           | \$147.82 |
| 865-T4S12   | One-Meter, 4" Wide, Slope # 12 w/ Galv Edge-Rails           | В           | 1          | 1           | \$147.82 |
| 865-T4S13   | One-Meter, 4" Wide, Slope # 13 w/ Galv Edge-Rails           | В           | 1          | 1           | \$147.82 |



865-T4DI5CL



865-T4GS5CM



865-T4GS5CS





# HydroTec™ TOP System (Cont)

#### Top 100 - 4" Wide

| Item Number   | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |
|---------------|---|-------------|------------|-------------|----------|
|               | CHANNELS  |             |            |             |          |
| 865-T4S14     | One-Meter, 4" Wide, Slope # 14 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S15     | One-Meter, 4" Wide, Slope # 15 w/ Galv Edge-Rails         | В           | 1          | 1           | \$147.82 |
| 865-T4S16     | One-Meter, 4" Wide, Slope # 16 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S17     | One-Meter, 4" Wide, Slope # 17 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S18     | One-Meter, 4" Wide, Slope # 18 w/ Galv Edge-Rails         | В           | 1          | 1           | \$147.82 |
| 865-T4S19     | One-Meter, 4" Wide, Slope # 19 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S20     | One-Meter, 4" Wide, Slope # 20 w/ Galv Edge-Rails         | В           | 1          | 1           | \$147.82 |
| 865-T4S21     | One-Meter, 4" Wide, Slope # 21 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S22     | One-Meter, 4" Wide, Slope # 22 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S23     | One-Meter, 4" Wide, Slope # 23 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S24     | One-Meter, 4" Wide, Slope # 24 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S25     | One-Meter, 4" Wide, Slope # 25 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S26     | One-Meter, 4" Wide, Slope # 26 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S27     | One-Meter, 4" Wide, Slope # 27 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S28     | One-Meter, 4" Wide, Slope # 28 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S29     | One-Meter, 4" Wide, Slope # 29 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
| 865-T4S30     | One-Meter, 4" Wide, Slope # 30 w/ Galv Edge-<br>Rails     | В           | 1          | 1           | \$147.82 |
|               | LOW-PROFILE CHANNELS                                      |             |            |             |          |
| 865-T4LP003   | One-Meter, 4" Wide × 3.15" Height, Neutral                | В           | 1          | 1           | \$112.59 |
| 865-T4LP0053  | Half-Meter, 4" Wide × 3.15" Height, Neutral               | В           | 1          | 1           | \$94.03  |
| 865-T4LP00B03 | One-Meter, 4" Wide × 3.15" Height, Neutral,<br>Bottom Out | В           | 1          | 1           | \$209.35 |
| 865-T4N00     | One-Meter, 4" Wide × 4.33" Height, Neutral                | В           | 1          | 1           | \$147.82 |
| 865-T4N005    | Half-Meter, 4" Wide × 4.33" Height, Neutral               | В           | 1          | 1           | \$99.39  |
| 865-T4N00B    | One-Meter, 4" Wide × 4.33" Height, Neutral,<br>Bottom Out | В           | 1          | 1           | \$206.94 |

### HydroTec™ TOP System (Cont)

Top 100 - 4" Wide

| Item Number | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price    |
|-------------|--|-------------|------------|-------------|----------|
|             | ACCESSORIES  |             |            |             | _        |
| 865-4BK     | Installation Bracket for Maxi/Top 100 Channels                     | В           | 1          | 1           | \$53.79  |
| 865-4EC     | 4" Closed End Cap - 2 Piece  | В           | 1          | 1           | \$49.47  |
| 865-4LPEC3  | 4" Closed End Cap For 3.15" Channel                                | В           | 1          | 1           | \$35.84  |
| 865-4LPEC4  | 4" Closed End Cap For 4.33" Channel                                | В           | 1          | 1           | \$35.84  |
| 865-4LR     | Grate-Locking Rod For 4" Channels                                  | В           | 1          | 1           | \$2.09   |
| 865-40C     | 4" Open End Cap - 2 Piece  | В           | 1          | 1           | \$49.47  |
| 865-4PC     | 4" PVC S&D Pipe Connection   | В           | 1          | 1           | \$17.92  |
| 865-4RS     | 4" Rubber Sleeve / Seal For Bottom Outs                            | В           | 1          | 1           | \$65.80  |
| 865-SHOVEL  | Cleaning Shovel For Mini/Top/Maxi                                  | В           | 1          | 1           | \$245.98 |
| 865-T4CB    | Half-Meter, Catch Basin w/ Galv Steel Debris<br>Basket - 6" Outlet | В           | 1          | 1           | \$301.23 |
| 865-T00L    | Grate-Locking Tool   | В           | 1          | 1           | \$47.31  |
| 865-TOOLP   | Grate-Locking Tool For Perf/Mesh Grates                            | В           | 1          | 1           | \$39.14  |



| Notes: |  |
|--------|--|
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |

# HydroBlock<sup>™</sup> System


HydroBlock<sup>™</sup> 100


HydroBlock<sup>™</sup> 150

HydroBlock<sup>™</sup> 200

HydroBlock<sup>™</sup> 300

One-piece ductile iron channel and grate system designed for ultimate durability and rattle-free operation.







#### HydroBlock™ 100

| Item Number   | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|---------------|---|-------------|------------|-------------|------------|
| 865-HB4005BFA | Half-Meter, 4" Wide, Bottom Out w/ Ductile Iron Removable Grate             | В           | 1          | 1           | \$614.92   |
| 865-HB4005SFA | Half-Meter, 4" Wide, Left/Right Side Out w/<br>Ductile Iron Removable Grate | В           | 1          | 1           | \$614.92   |
| 865-HB400FA   | One-Meter, 4" Wide Ductile Iron Channel/Grate                               | В           | 1          | 1           | \$604.76   |
|               | ACCESSORIES   |             |            |             |            |
| 865-HB4CBFA   | Catch Basin w/ Ductile Iron Removable Grate                                 | В           | 1          | 1           | \$1,196.11 |
| 865-HB4EC     | Closed End Cap For Socket End   | В           | 1          | 1           | \$24.04    |
| 865-HB4INSB   | Installation Aid Tool   | В           | 1          | 1           | \$405.56   |
| 865-HB40C     | Closed End Cap For Spigot End   | В           | 1          | 1           | \$24.04    |



865-HB400FA



865-HB4EC

### HydroBlock™ 150

| Item Number       | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|-------------------|---|-------------|------------|-------------|------------|
| 865-HB6005BFA     | Half-Meter, 6" Wide, Bottom Out w/Ductile Iron<br>Removable Grate           | В           | 1          | 1           | \$756.79   |
| 865-HB6005HSFA    | Half-Meter, 6" Wide, Left/Right/End Out w/<br>Ductile Iron Removable Grate  | В           | 1          | 1           | \$756.79   |
| 865-HB600FA       | One-Meter, 6" Wide Ductile Iron Channel/Grate                               | В           | 1          | 1           | \$911.44   |
|                   | ADA COMPLIANT   |             |            |             |            |
| 865-HB6ADA005BFA  | Half-Meter, 6" Wide, Bottom Out w/ ADA Ductile Iron Removable Grate         | В           | 1          | 1           | \$817.96   |
| 865-HB6ADA005FA   | Half-Meter, 6" Wide, w/ ADA Ductile Iron<br>Removable Grate                 | В           | 1          | 1           | \$817.96   |
| 865-HB6ADA005HSFA | Half-Meter, 6" Wide, Left/Right/End Out w/ ADA Ductile Iron Removable Grate | В           | 1          | 1           | \$817.96   |
| 865-HB6ADA00FA    | One-Meter, 6" Wide ADA Ductile Iron<br>Channel/Grate                        | В           | 1          | 1           | \$987.89   |
|                   | ACCESSORIES   |             |            |             |            |
| 865-HB6ADACBFA    | Catch Basin w/ ADA Ductile Iron Removable Grate                             | В           | 1          | 1           | \$1,481.93 |
| 865-HB6AINSB      | Installation Aid Tool for ADA Pattern                                       | В           | 1          | 1           | \$405.56   |
| 865-HB6CBFA       | Catch Basin w/ Ductile Iron Removable Grate                                 | В           | 1          | 1           | \$1,374.72 |
| 865-HB6DS         | Domed Debris Strainer for Bottom Outlet                                     | В           | 1          | 1           | \$56.09    |
| 865-HB6EC         | Closed End Cap For Socket End   | В           | 1          | 1           | \$40.78    |
| 865-HB6INSB       | Installation Aid Tool   | В           | 1          | 1           | \$405.56   |
| 865-HB60C         | Closed End Cap For Spigot End   | В           | 1          | 1           | \$40.78    |



865-HB600FA



865-HB6ADA005HSFA

#### HydroBlock™ 200

| Item Number   | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|---------------|---|-------------|------------|-------------|------------|
| 865-HB8005BFA | Half-Meter, 8" Wide, Bottom Out w/ Ductile Iron<br>Removable Grate          | В           | 1          | 1           | \$1,053.92 |
| 865-HB8005SFA | Half-Meter, 8" Wide, Left/Right Side Out w/<br>Ductile Iron Removable Grate | В           | 1          | 1           | \$1,053.91 |
| 865-HB800FA   | One-Meter, 8" Wide Ductile Iron Channel/Grate                               | В           | 1          | 1           | \$1,366.41 |



865-HB800FA



# HydroBlock™ 200 (Cont)

| Item Number      | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|------------------|---|-------------|------------|-------------|------------|
|                  | ADA COMPLIANT   |             |            |             |            |
| 865-HB8ADA005BFA | Half-Meter, 8" Wide, Bottom Out w/ ADA Ductile Iron Removable Grate             | В           | 1          | 1           | \$1,138.02 |
| 865-HB8ADA005FA  | Half-Meter, 8" Wide, w/ ADA Ductile Iron<br>Removable Grate                     | В           | 1          | 1           | \$1,138.02 |
| 865-HB8ADA005SFA | Half-Meter, 8" Wide, Left/Right Side Out w/ ADA<br>Ductile Iron Removable Grate | В           | 1          | 1           | \$1,138.02 |
| 865-HB8ADA00FA   | One-Meter, 8" Wide ADA Ductile Iron<br>Channel/Grate                            | В           | 1          | 1           | \$1,481.22 |
|                  | ACCESSORIES   |             |            |             |            |
| 865-HB6AINSB     | Installation Aid Tool for ADA Pattern   | В           | 1          | 1           | \$405.56   |
| 865-HB6INSB      | Installation Aid Tool   | В           | 1          | 1           | \$405.56   |
| 865-HB8ADACBFA   | Catch Basin w/ ADA Ductile Iron Removable Grate                                 | В           | 1          | 1           | \$1,645.04 |
| 865-HB8CBFA      | Catch Basin w/ Ductile Iron Removable Grate                                     | В           | 1          | 1           | \$1,522.57 |
| 865-HB8EC        | Closed End Cap For Socket End   | В           | 1          | 1           | \$51.78    |
| 865-HB80C        | Closed End Cap For Spigot End   | В           | 1          | 1           | \$51.78    |

# HydroBlock™ 300

| Item Number       | Item Description  | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |
|-------------------|---|-------------|------------|-------------|------------|
| 865-HB12005BFA    | Three-Quarter-Meter, 12" Wide, Bottom Out w/<br>Ductile Iron Removable Grate              | В           | 1          | 1           | \$2,638.44 |
| 865-HB1200FA      | One-Meter, 12" Wide Ductile Iron Channel/Grate  | В           | 1          | 1           | \$2,638.44 |
|                   | ADA COMPLIANT   |             |            |             |            |
| 865-HB12ADA005BFA | Three-Quarter-Meter, 12" Wide, Bottom Out w/<br>ADA Ductile Iron Removable Grate          | В           | 1          | 1           | \$2,852.66 |
| 865-HB12ADA005FA  | Three-Quarter-Meter, 12" Wide, w/ ADA Ductile Iron Removable Grate                        | В           | 1          | 1           | \$2,852.66 |
| 865-HB12ADA005SFA | Three Quarter-Meter, 12" Wide, Left/Right Side<br>Out w/ ADA Ductile Iron Removable Grate | В           | 1          | 1           | \$2,852.66 |
| 865-HB12ADA00FA   | One-Meter, 12" Wide ADA Ductile Iron<br>Channel/Grate                                     | В           | 1          | 1           | \$2,852.66 |
|                   | ACCESSORIES   |             |            |             |            |
| 865-12PC          | 12" PVC S&D Pipe Connector  | В           | 1          | 1           | \$149.62   |
| 865-HB12EC        | Closed End Cap For Socket End   | В           | 1          | 1           | \$200.67   |
| 865-HB120C        | Closed End Cap For Spigot End   | В           | 1          | 1           | \$200.67   |
| 865-HB12S         | Debris Bucket For Vertical Out  | В           | 1          | 1           | \$435.59   |
| 865-HB6AINSB      | Installation Aid Tool for ADA Pattern   | В           | 1          | 1           | \$405.56   |
| 865-HB6INSB       | Installation Aid Tool   | В           | 1          | 1           | \$405.56   |



865-HB1200FA



865-HB12ADA005BFA



865-HB120C

# HydroLine<sup>™</sup> System





# HydroLine™ System

| Item Number           | Item Description   | Pkg<br>Type | Min<br>Qty | Case<br>Qty | Price      |  |  |  |
|-----------------------|--|-------------|------------|-------------|------------|--|--|--|
| DUCTILE IRON CHANNELS |  |             |            |             |            |  |  |  |
| 865-HL4L              | 4-1/2" Wide Channel - Corner Section, 2 Pcs                | В           | 1          | 1           | \$856.12   |  |  |  |
| 865-HL4N005BF         | Half-Meter, 4-1/2" Wide Channel, Neutral w/ Out            | В           | 1          | 1           | \$204.38   |  |  |  |
| 865-HL4N005K          | Half-Meter, 4-1/2" Wide Channel, Neutral w/<br>Curb End    | В           | 1          | 1           | \$219.16   |  |  |  |
| 865-HL4N00CSF         | One-Meter, 4-1/2" Wide Channel, Neutral w/<br>Cleaning End | В           | 1          | 1           | \$321.18   |  |  |  |
| 865-HL4N00F           | One-Meter, 4-1/2" Wide Channel, Neutral                    | В           | 1          | 1           | \$223.56   |  |  |  |
|                       | POWDER-COATED ALUMINUM CHANNELS                            |             |            |             |            |  |  |  |
| 865-HLP4AB            | 5" Wide Channel - Bottom Outlet Section                    | В           | 1          | 1           | \$314.21   |  |  |  |
| 865-HLP4C             | 5" Wide Channel - Corner Section, 2 Pcs                    | В           | 1          | 1           | \$886.90   |  |  |  |
| 865-HLP4N00F1M        | One-Meter, 5" Wide Channel, Neutral                        | В           | 1          | 1           | \$657.18   |  |  |  |
| 865-HLP4N00F3M        | Three-Meter, 5" Wide Channel, Neutral                      | В           | 1          | 1           | \$974.30   |  |  |  |
| 865-HLP4T             | 5" Wide Channel - Tee Section, 3 Pcs                       | В           | 1          | 1           | \$1,331.77 |  |  |  |
| 865-HLP4X             | 5" Wide Channel - Cross Section, 4 Pcs                     | В           | 1          | 1           | \$1,773.43 |  |  |  |
|                       | ACCESSORIES  |             |            |             |            |  |  |  |
| 865-HLAC              | One-Meter Installation Cover For Aluminum Channels         | В           | 1          | 1           | \$245.71   |  |  |  |
| 865-HLCE              | Connection Element For Iron Channels                       | В           | 1          | 1           | \$50.44    |  |  |  |
| 865-HLDC              | One-Meter Installation Cover For Iron Channels             | В           | 1          | 1           | \$245.71   |  |  |  |
| 865-HLEC              | End Wall For Iron Channels                                 | В           | 1          | 1           | \$50.44    |  |  |  |
| 865-HLISC             | Installation Bracket For Iron Channels                     | В           | 1          | 1           | \$50.45    |  |  |  |
| 865-HLPCE             | Connection Element For Aluminum Channels                   | В           | 1          | 1           | \$50.44    |  |  |  |
| 865-HLPEC             | End Wall For Aluminum Channels                             | В           | 1          | 1           | \$50.45    |  |  |  |
| 865-HLPED             | Installation Pedestal For Iron Channels                    | В           | 1          | 1           | \$265.43   |  |  |  |
| 865-HLPISC            | Installation Bracket For Aluminum Channels                 | В           | 1          | 1           | \$50.45    |  |  |  |
| 865-HLPPED            | Installation Pedestal For Aluminum Channels                | В           | 1          | 1           | \$286.66   |  |  |  |
| 865-RAKE              | Cleaning Rake For Iron Channels                            | В           | 1          | 1           | \$286.66   |  |  |  |
| 865-RAKEP             | Cleaning Rake For Aluminum Channels                        | В           | 1          | 1           | \$338.77   |  |  |  |



865-HL4N005BF



865-HLP4AB



865-RAKE

| Notes: |      |      |
|--------|------|------|
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        | <br> | <br> |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |
|        |      |      |



|              | DATE |    |  |
|--------------|------|----|--|
| INSTRUCTIONS | PAGE | OF |  |

- **1.** Fill in all Bill to and Ship to information.
- **2.** Complete one line for each item ordered and fully extend for item total. Add all lines for order total.
- **3.** Fax or mail page(s) to factory, representative or wholesaler.


| BILL TO  | )               |          | new address         | ]           |       | SHIP  | TO                    |       | new              | address     |                 |
|----------|-----------------|----------|---------------------|-------------|-------|-------|-----------------------|-------|------------------|-------------|-----------------|
|          | Q               | ualified | wholesale distribut | ors only    |       |       |                       | Leave | blank if same as | s "bill to" |                 |
| Purchas  | se order<br>no. |          |                     |             |       | Purch | ase order<br>no.      |       |                  |             |                 |
| Contac   | t name          |          |                     |             |       | Cont  | act name              |       |                  |             |                 |
| Co       | ompany          |          |                     |             |       |       | Company               |       |                  |             |                 |
| Street a | address         |          |                     |             |       | Stree | t address             |       |                  |             |                 |
|          | City            |          |                     |             |       |       | City                  |       |                  |             |                 |
|          | State           |          | Zip                 |             | ·     |       | State                 |       | Z                | Zip         |                 |
|          | Phone           |          | Fax                 |             |       |       | Phone                 |       | F                | ax          |                 |
| instr    | Special uctions |          |                     |             |       | ins   | Special<br>structions |       |                  |             |                 |
|          |                 |          |                     |             | ORDER |       |                       |       |                  |             |                 |
|          | Iten            | n No.    |                     | Description |       | Qty.  | List Price            | Each  | List Price Total | Mult.       | Net Price Total |
| 1        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 2        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 3        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 4        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 5        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 6        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 7        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 8        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 9        |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 10       |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 11       |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 12       |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 13       |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 14       |                 |          |                     |             |       |       |                       |       |                  |             |                 |
| 15       |                 |          |                     |             |       |       |                       |       |                  |             |                 |

Order Totals

www.siouxchief.com



Signature / Date



| Company |                              | Territory   | Phone                            | Website                    |  |
|---------|------------------------------|---|----------------------------------|----------------------------|--|
| 1       | Badgerland Trading Company   | WI  | (262) 827-3177                   | badgerlandtrading.com      |  |
| 2       | Bulls-I Sales                | IA, NE  | (913) 649-8391                   | bullsisales.com            |  |
| 3       | Burns Cope Associates        | Northern DE, NJ, Eastern PA,<br>New York Metro Area | (610) 485-2828                   | burnscope.com              |  |
| 4       | Can-Aqua International       | Quebec  | (450) 625-3088                   | can-aqua.ca                |  |
| 5       | Can-Aqua International       | Saskatchewan<br>Manitoba                            | (306) 501-4295<br>(204) 292-9749 | can-aqua.ca                |  |
| 6       | Cardinal Sales               | Ontario   | (905) 569-1419                   | cardinalsales.ca           |  |
| 7       | Carolina Sales Associates    | NC, SC  | (803) 831-7227                   | csareps.com                |  |
| 8       | Cathell, Naylor & Associates | Southern DE, DC, MD, VA, WV                         | (571) 313-1390                   | cathell.com                |  |
| 9       | Corbett, Wingard & Ray       | TX  | (817) 335-4802                   | www.cwrrepstexas.com       |  |
| 10      | Exceptional Product Sales    | MI  | (586) 286-3240                   | eps.michigan@sbcglobal.net |  |
| 11      | Gordon & Associates          | AK, WA, OR, HI                                      | (360) 566-1470                   | gordonandassoc.com         |  |
| 12      | Hart, Travers & Associates   | IL  | (800) 535-8525                   | htareps.com                |  |
| 13      | Hy-Line Sales                | ly-Line Sales British Columbia (778) 657-6431       |                                  | hylinesales.com            |  |
| 14      | Lowder Sales                 | owder Sales OH, KY (800) 221-565                    |                                  | Isireps.com                |  |
| 15      | M R & Associates             | Eastern MO & Southern IL                            | (314) 962-8960                   | mrassocinc.com             |  |
| 16      | McKee-Nix & Associates       | s GA (770   |                                  | mckeenix.com               |  |
| 17      | Mountain West Marketing      | UT, ID (801) 782-0100                               |                                  | mtnwm.com                  |  |
| 18      | Northland Reps               | ND, SD, MN  | (952) 854-3905                   | northlandreps.com          |  |
| 19      | NSC Marketing                | OK, AR  | (405) 602-2800                   | nscok.com                  |  |
| 20      | Paramount Sales              | Northern CA, NV                                     | (925) 373-0817                   | paramountsales.biz         |  |
| 21      | RSL Sales Associates         | FL  | (800) 538-4792                   | rslsales.com               |  |
| 22      | SFE Enterprises              | KS, MO  | (816) 322-2206                   | sfeenterprises.com         |  |
| 23      | Shoreline Mechanical Sales   | Atlantic Canada                                     | (902) 455-2939                   | shorelinemechanical.ca     |  |
| 24      | Signature Sales              | Southern CA, AZ, Las Vegas, NV                      | (951) 549-1000                   | signaturesalesinc.com      |  |
| 25      | Spectrum Sales               | Alberta   | (403) 255-8332                   | spectrumsales.ca           |  |
| 26      | T M Sales                    | MT, WY, CO, Western NE                              | (303) 375-1515                   | tmsalesinc.com             |  |
| 27      | Tim Morales & Associates     | LA, AL, MS, TN, FL panhandle                        | (251) 602-8333                   | timmorales.com             |  |
| 28      | TOP Marketing                | Indiana   | (317) 575-9267                   | topmktg.com                |  |
| 29      | Triumph Sales                | Western PA, WV                                      | (412) 781-0950                   | triumphsalesinc.com        |  |
| 30      | Twin "D" Associates          | NY  | (800) 522-3523                   | twindassociates.com        |  |
| 31      | W W Sales Company            | NM, El Paso, TX                                     | (505) 878-0636                   | wwsalesco.com              |  |
| 32      | Walter F Morris Company      | New England   | (800) 888-1922                   | morrismerchants.com        |  |

1 cubic ft of water weighs 62.41 lbs. 1 cubic meter of water weighs 100 kg. 1 gallon (US) of water weighs 8.335 lbs. 1 liter of water weighs 1 kg.

Copper water tube and copper sweat fittings are referenced by their nominal (nom) size, which approximates the inside diameter (I.D.) waterway of the tube (1/2" nom, 3/4" nom, etc.).

Compression fittings are referenced by the outside diameter (0.D.) of the tube they connect to  $(5/8"\ 0.D.,\ 7/8"\ 0.D.,\ etc.)$ .

Copper water tube is manufactured in accordance with ASTM Standard B 88.

| Nominal<br>Tube Size | Outside<br>Diameter | Min. Wall<br>Thickness | Weight Empty<br>(lbs/ft) | Weight Full of Water<br>(lbs/ft) |  |  |  |  |  |
|----------------------|---------------------|------------------------|--------------------------|----------------------------------|--|--|--|--|--|
| SCHEDULE 40 STEEL    |                     |                        |                          |                                  |  |  |  |  |  |
| 1/8"                 | 0.405"              | 0.068"                 | 0.2                      | 0.4                              |  |  |  |  |  |
| 1/4"                 | 0.540"              | 0.088"                 | 0.4                      | 0.5                              |  |  |  |  |  |
| 3/8"                 | 0.675"              | 0.091"                 | 0.6                      | 0.7                              |  |  |  |  |  |
| 1/2"                 | 0.840"              | 0.109"                 | 0.8                      | 0.9                              |  |  |  |  |  |
| 3/4"                 | 1.050"              | 0.113"                 | 1.1                      | 1.3                              |  |  |  |  |  |
| 1"                   | 1.315"              | 0.133"                 | 1.7                      | 2.1                              |  |  |  |  |  |
| 11/4"                | 1.660"              | 0.140"                 | 2.3                      | 2.9                              |  |  |  |  |  |
| 1½"                  | 1.900"              | 0.145"                 | 2.7                      | 3.6                              |  |  |  |  |  |
| 2"                   | 2.375"              | 0.154"                 | 3.6                      | 5.0                              |  |  |  |  |  |
| 21/2"                | 2.875"              | 0.203"                 | 5.8                      | 7.9                              |  |  |  |  |  |
| 3"                   | 3.500"              | 0.216"                 | 7.6                      | 10.8                             |  |  |  |  |  |
| 31/2"                | 4.000"              | 0.226"                 | 9.1                      | 13.4                             |  |  |  |  |  |
| 4"                   | 4.500"              | 0.237"                 | 10.8                     | 16.3                             |  |  |  |  |  |
|                      |                     | SCHEDUL                | E 40 PVC                 |                                  |  |  |  |  |  |
| 1/8"                 | 0.405"              | 0.068"                 | 0.04                     | 0.06                             |  |  |  |  |  |
| 1/4"                 | 0.540"              | 0.088"                 | 0.07                     | 0.11                             |  |  |  |  |  |
| 3/8"                 | 0.675"              | 0.091"                 | 0.10                     | 0.18                             |  |  |  |  |  |
| 1/2"                 | 0.840"              | 0.109"                 | 0.15                     | 0.25                             |  |  |  |  |  |
| 3/4"                 | 1.050"              | 0.113"                 | 0.20                     | 0.40                             |  |  |  |  |  |
| 1"                   | 1.315"              | 0.133"                 | 0.30                     | 0.70                             |  |  |  |  |  |
| 11/4"                | 1.660"              | 0.140"                 | 0.40                     | 1.00                             |  |  |  |  |  |
| 11/2"                | 1.900"              | 0.145"                 | 0.50                     | 1.40                             |  |  |  |  |  |
| 2"                   | 2.375"              | 0.154"                 | 0.60                     | 2.00                             |  |  |  |  |  |
| 21/2"                | 2.875"              | 0.230"                 | 1.00                     | 3.10                             |  |  |  |  |  |
| 3"                   | 3.500"              | 0.216"                 | 1.30                     | 4.50                             |  |  |  |  |  |
| 31/2"                | 4.000"              | 0.226"                 | 1.60                     | 5.90                             |  |  |  |  |  |
| 4"                   | 4.500"              | 0.237"                 | 1.90                     | 7.40                             |  |  |  |  |  |
|                      |                     | SCHEDULE               | 40 CPVC                  |                                  |  |  |  |  |  |
| 1/4"                 | 0.540"              | 0.088"                 | 0.09                     | 0.12                             |  |  |  |  |  |
| 1/2"                 | 0.840"              | 0.109"                 | 0.19                     | 0.28                             |  |  |  |  |  |
| 3/4"                 | 1.050"              | 0.113"                 | 0.25                     | 0.43                             |  |  |  |  |  |
| 1"                   | 1.315"              | 0.133"                 | 0.38                     | 0.76                             |  |  |  |  |  |
| 11/4"                | 1.660"              | 0.140"                 | 0.51                     | 1.08                             |  |  |  |  |  |
| 1½"                  | 1.900"              | 0.145"                 | 0.61                     | 1.49                             |  |  |  |  |  |
| 2"                   | 2.375"              | 0.154"                 | 0.82                     | 2.12                             |  |  |  |  |  |
| 2½"                  | 2.875"              | 0.230"                 | 1.29                     | 3.29                             |  |  |  |  |  |
| 3"                   | 3.500"              | 0.216"                 | 1.69                     | 4.75                             |  |  |  |  |  |
| 4"                   | 4.500"              | 0.237"                 | 2.33                     | 7.68                             |  |  |  |  |  |
|                      |                     |                        |                          |                                  |  |  |  |  |  |

| Nominal<br>Tube Size | Outside<br>Diameter | Min. Wall<br>Thickness | Weight Empty<br>(lbs/ft) | Weight Full of Water<br>(lbs/ft) |
|----------------------|---------------------|------------------------|--------------------------|----------------------------------|
|                      |                     | SCHEDULE               | 80 STEEL                 |                                  |
| 1/8"                 | 0.405"              | 0.095"                 | 0.3                      | 0.4                              |
| 1/4"                 | 0.540"              | 0.119"                 | 0.5                      | 0.6                              |
| 3/8"                 | 0.675"              | 0.126"                 | 0.7                      | 0.8                              |
| 1/2"                 | 0.840"              | 0.147"                 | 1.1                      | 1.2                              |
| 3/4"                 | 1.050"              | 0.154"                 | 1.5                      | 1.7                              |
| 1"                   | 1.315"              | 0.179"                 | 2.2                      | 2.5                              |
| 11/4"                | 1.660"              | 0.191"                 | 3.0                      | 3.5                              |
| 1½"                  | 1.900"              | 0.200"                 | 3.6                      | 4.3                              |
| 2"                   | 2.375"              | 0.218"                 | 5.0                      | 6.3                              |
| 2½"                  | 2.875"              | 0.276"                 | 7.6                      | 9.4                              |
| 3"                   | 3.500"              | 0.300"                 | 10.2                     | 13.0                             |
| 3½"                  | 4.000"              | 0.318"                 | 12.5                     | 16.3                             |
| 4"                   | 4.500"              | 0.337"                 | 15.0                     | 20.0                             |
|                      | ;                   | SCHEDULE 8             | 30 POLYPRO               |                                  |
| 1/2"                 | 0.840"              | 0.147"                 | 0.14                     | 0.19                             |
| 3/4"                 | 1.050"              | 0.154"                 | 0.19                     | 0.33                             |
| 1"                   | 1.315"              | 0.179"                 | 0.27                     | 0.49                             |
| 14"                  | 1.660"              | 0.191"                 | 0.38                     | 0.85                             |
| 1½"                  | 1.900"              | 0.200"                 | 0.45                     | 1.18                             |
| 2"                   | 2.375"              | 0.218"                 | 0.62                     | 1.61                             |
|                      |                     | SCHEDUL                | E 80 PVC                 |                                  |
| 1/8"                 | 0.405"              | 0.095"                 | 0.05                     | 0.06                             |
| 1/4"                 | 0.540"              | 0.119"                 | 0.09                     | 0.12                             |
| 3/8"                 | 0.675"              | 0.126"                 | 0.10                     | 0.16                             |
| 1/2"                 | 0.840"              | 0.147"                 | 0.10                     | 0.20                             |
| 3/4"                 | 1.050"              | 0.154"                 | 0.20                     | 0.40                             |
| 1"                   | 1.315"              | 0.179"                 | 0.40                     | 0.70                             |
| 14"                  | 1.660"              | 0.191"                 | 0.50                     | 1.00                             |
| 1½"                  | 1.900"              | 0.200"                 | 0.60                     | 1.30                             |
| 2"                   | 2.375"              | 0.218"                 | 0.90                     | 2.20                             |
| 2½"                  | 2.875"              | 0.276"                 | 1.30                     | 3.10                             |
| 3"                   | 3.500"              | 0.300"                 | 1.80                     | 4.60                             |
| 3½"                  | 4.000"              | 0.318"                 | 2.20                     | 6.00                             |
| 4"                   | 4.500"              | 0.337"                 | 2.60                     | 7.60                             |
|                      |                     | SCHEDULE               | 80 CPVC                  |                                  |
| 1/4"                 | 0.540"              | 0.119"                 | 0.12                     | 0.16                             |
| 1/2"                 | 0.840"              | 0.147"                 | 0.24                     | 0.31                             |
| 3/4"                 | 1.050"              | 0.154"                 | 0.33                     | 0.48                             |
| 1"                   | 1.315"              | 0.179"                 | 0.49                     | 0.85                             |
| 14"                  | 1.660"              | 0.191"                 | 0.67                     | 1.18                             |
| 1½"                  | 1.900"              | 0.200"                 | 0.81                     | 1.61                             |
| 2"                   | 2.375"              | 0.218"                 | 1.09                     | 2.26                             |
| 2½"                  | 2.875"              | 0.276"                 | 1.65                     | 3.49                             |
| 3"                   | 3.500"              | 0.300"                 | 2.21                     | 5.02                             |
| 4"                   | 4.500"              | 0.337"                 | 3.23                     | 8.08                             |
|                      |                     | CTS CPVC               | (SDR 11)                 |                                  |
| 1/2"                 | 0.625"              | 0.060"                 | 0.08                     | 0.16                             |
| 3/4"                 | 0.875"              | 0.080"                 | 0.14                     | 0.31                             |
| 1"                   | 1.125"              | 0.102"                 | 0.22                     | 0.51                             |
| 11/4"                | 1.375"              | 0.125"                 | 0.33                     | 0.76                             |
| 1½"                  | 1.625"              | 0.148"                 | 0.47                     | 1.07                             |
| 2"                   | 2.125"              | 0.193"                 | 0.80                     | 1.83                             |
|                      |                     |                        |                          |                                  |

| Nominal<br>Tube Size | Outside<br>Diameter | Min. Wall<br>Thickness | Weight Empty<br>(lbs/ft) | Weight Full of Water<br>(lbs/ft) |
|----------------------|---------------------|------------------------|--------------------------|----------------------------------|
|                      |                     | COPPER                 | TYPE K                   |                                  |
| 3/8"                 | 0.500"              | 0.049"                 | 0.27                     | 0.32                             |
| 1/2"                 | 0.625"              | 0.049"                 | 0.34                     | 0.43                             |
| 5/8"                 | 0.750"              | 0.049"                 | 0.42                     | 0.56                             |
| 3/4"                 | 0.875"              | 0.065"                 | 0.64                     | 0.83                             |
| 1"                   | 1.125"              | 0.065"                 | 0.84                     | 1.18                             |
| 14"                  | 1.375"              | 0.065"                 | 1.04                     | 1.57                             |
| 11/2"                | 1.625"              | 0.072"                 | 1.36                     | 2.10                             |
| 2"                   | 2.125"              | 0.083"                 | 2.06                     | 3.37                             |
| 21/2"                | 2.625"              | 0.095"                 | 2.92                     | 4.92                             |
| 3"                   | 3.125"              | 0.109"                 | 4.00                     | 6.96                             |
| 31/2"                | 3.625"              | 0.120"                 | 5.12                     | 9.02                             |
| 4"                   | 4.125"              | 0.134"                 | 6.51                     | 11.57                            |
|                      |                     | COPPER                 | TYPE L                   |                                  |
| 3/8"                 | 0.500"              | 0.035"                 | 0.20                     | 0.26                             |
| 1/2"                 | 0.625"              | 0.040"                 | 0.28                     | 0.38                             |
| 5/8"                 | 0.750"              | 0.042"                 | 0.36                     | 0.51                             |
| 3/4"                 | 0.875"              | 0.045"                 | 0.45                     | 0.66                             |
| 1"                   | 1.125"              | 0.050"                 | 0.65                     | 1.01                             |
| 11/4"                | 1.375"              | 0.055"                 | 0.88                     | 1.42                             |
| 1½"                  | 1.625"              | 0.060"                 | 1.14                     | 1.91                             |
| 2"                   | 2.125"              | 0.070"                 | 1.75                     | 3.09                             |
| 2½"                  | 2.625"              | 0.080"                 | 2.48                     | 4.54                             |
| 3"                   | 3.125"              | 0.090"                 | 3.33                     | 6.28                             |
| 3½"                  | 3.625"              | 0.100"                 | 4.29                     | 8.28                             |
| 4"                   | 4.125"              | 0.110"                 | 5.38                     | 10.57                            |
| 7                    | 7.120               | COPPER                 |                          | 10.07                            |
| 1/2"                 | 0.625"              | 0.028"                 | 0.204                    | 0.314                            |
| 3/4"                 | 0.875"              | 0.032"                 | 0.328                    | 0.551                            |
| 1"                   | 1.125"              | 0.035"                 | 0.465                    | 0.843                            |
| 11/4"                | 1.375"              | 0.042"                 | 0.682                    | 1.25                             |
| 1½"                  | 1.625"              | 0.049"                 | 0.940                    | 1.73                             |
| 2"                   | 2.125"              | 0.058"                 | 1.460                    | 2.83                             |
| 2½"                  | 2.625"              | 0.065"                 | 2.030                    | 4.14                             |
| 3"                   | 3.125"              | 0.003                  | 2.680                    | 5.70                             |
| 3½"                  | 3.625"              | 0.072                  | 3.580                    | 7.64                             |
| 4"                   | 4.125"              | 0.095"                 | 4.660                    | 9.83                             |
| -4                   | 4.125               | COPPER T               |                          | 9.63                             |
| 11/4"                | 1.375"              | 0.040"                 | 0.65                     | 1.22                             |
| 1½"                  | 1.625"              | 0.040                  | 0.81                     | 1.62                             |
|                      |                     |                        |                          |                                  |
| 2"<br>3"             | 2.125"              | 0.042"                 | 1.07                     | 2.48                             |
|                      | 3.125"              | 0.045"                 | 1.69                     | 4.81                             |
| 4"                   | 4.125"              | 0.058"                 | 2.87                     | 7.88                             |
| 0.11                 |                     |                        | XTRA HEAVY               | 0.0                              |
| 2"                   | 2.38"               | 0.190"                 | 5.0                      | 6.6                              |
| 3"                   | 3.50"               | 0.250"                 | 9.0                      | 12.7                             |
| 4"                   | 4.50"               | 0.250"                 | 12.0                     | 18.5                             |
| 0                    |                     |                        | RVICE WEIGHT             |                                  |
| 2"                   | 2.25"               | 0.17"                  | 4                        | 5.5                              |
| 3"                   | 3.25"               | 0.17"                  | 6                        | 9.4                              |
| 4"                   | 4.25"               | 0.18"                  | 8                        | 14.2                             |
|                      |                     | NO-HUB C               |                          |                                  |
| 1½"                  | 1.90"               | 0.16"                  | 2.7                      | 6.2                              |
| 2"                   | 2.35"               | 0.16"                  | 3.6                      | 8.6                              |
| 3"                   | 3.35"               | 0.16"                  | 5.2                      | 13.5                             |
| 4"                   | 4.38"               | 0.19"                  | 7.4                      | 20.2                             |

#### **Pipe Support Requirements**

Data from 2021 International Plumbing Code, Table 308.5

| Piping<br>Material   | Maximum<br>Horizontal<br>Spacing (ft) | Maximum<br>Vertical<br>Spacing (ft) |  |
|--|---------------------------------------|-------------------------------------|--|
| ABS pipe   | 4                                     | 10 <sup>B</sup>                     |  |
| Aluminum tubing  | 10                                    | 15                                  |  |
| Brass pipe   | 10                                    | 10                                  |  |
| Cast iron pipe   | 5 <sup>A</sup>                        | 15                                  |  |
| CPVC pipe or tubing, ≤ 1"  | 3                                     | 10 B                                |  |
| CPVC pipe or tubing, ≥ 1⁴⁄4"   | 4                                     | 10 B                                |  |
| Copper or copper-alloy pipe  | 12                                    | 10                                  |  |
| Copper or copper alloy tubing ≤ 1 <sup>1</sup> / <sub>4</sub> " diameter | 6                                     | 10                                  |  |
| Copper or copper alloy tubing ≥ 1½" diameter                             | 10                                    | 10                                  |  |
| PEX pipe, ≤ 1"   | 2.67 (32")                            | 10 B                                |  |
| PEX pipe, ≥ 1 <sup>1</sup> / <sub>4</sub> "                              | 4                                     | 10 <sup>B</sup>                     |  |
| PEX-AL-PEX pipe  | 2.67 (32")                            | 4                                   |  |
| Lead pipe  | Continuous                            | 4                                   |  |
| PE-AL-PE pipe  | 2.67 (32")                            | 4                                   |  |
| PE-RT pipe, ≤ 1"   | 2.67 (32")                            | 10 B                                |  |
| PE-RT pipe, ≥ 1 <sup>1</sup> / <sub>4</sub> "                            | 4                                     | 10 B                                |  |
| PP pipe or tubing, ≤ 1"  | 2.67 (32")                            | 10 <sup>B</sup>                     |  |
| PP pipe or tubing, ≥ 1½"   | 4                                     | 10 <sup>B</sup>                     |  |
| PVC pipe   | 4                                     | 10 <sup>B</sup>                     |  |
| Stainless steel drainage systems   | 10                                    | 10 B                                |  |
| Steel pipe   | 12                                    | 15                                  |  |

A: The maximum horizontal spacing of cast iron pipe hangers shall be increased to 10 ft  $\,$ where 10-ft lengths of pipe are installed

#### **Labor Cost Chart**

Dollars earned when you save time using Sioux Chief products.

| Time<br>Rate | 2 min. | 5 min. | 10 min. | 15 min. | 20 min. |
|--------------|--------|--------|---------|---------|---------|
| \$20.00/hr   | \$0.66 | \$1.67 | \$3.33  | \$5.00  | \$6.67  |
| \$25.00/hr   | \$0.83 | \$2.08 | \$4.17  | \$6.25  | \$8.33  |
| \$30.00/hr   | \$1.00 | \$2.50 | \$5.00  | \$7.50  | \$10.00 |
| \$35.00/hr   | \$1.17 | \$2.92 | \$5.83  | \$8.75  | \$11.67 |
| \$40.00/hr   | \$1.33 | \$3.33 | \$6.67  | \$10.00 | \$13.33 |
| \$45.00/hr   | \$1.50 | \$3.75 | \$7.50  | \$11.25 | \$15.00 |
| \$50.00/hr   | \$1.67 | \$4.17 | \$8.33  | \$12.50 | \$16.67 |
| \$55.00/hr   | \$1.83 | \$4.58 | \$9.17  | \$13.75 | \$18.33 |
| \$60.00/hr   | \$2.00 | \$5.00 | \$10.00 | \$15.00 | \$20.00 |
| \$65.00/hr   | \$2.17 | \$5.42 | \$10.83 | \$16.25 | \$21.67 |
| \$70.00/hr   | \$2.33 | \$5.83 | \$11.67 | \$17.50 | \$23.33 |
| \$75.00/hr   | \$2.50 | \$6.25 | \$12.50 | \$18.75 | \$25.00 |

B: For sizes 2" and smaller, a guide shall be installed midway between required vertical supports. Such guides shall prevent pipe movement in a direction perpendicular to the axis of the pipe

# Sioux Chief Manufacturing

#### >> Limited Lifetime Warranty

#### Warranty

Sioux Chief Mfg. Co., Inc. ("Seller" or "the Seller") warrants its products to be free from defects in material and workmanship under normal usage for the lifetime of the plumbing system in which they were originally incorporated. In the event of such defects within the warranty period, the Company will, at its option, replace or recondition the product without charge. This remedy shall be effective only if the product was installed in accordance with supplied instructions, common installation or use practices and existing building and plumbing codes and legal requirements; has not been subjected to misuse or abuse; was at all times used in a manner consistent with its intended use; was at all times used in installations and environments acceptable to its material and design specifications; or any express conditions or requirements laid out in company installation instructions, manuals, tech bulletins, special labeling, precautions, as well as other instructional documents and product limitations of use; was never modified, altered or repaired by anyone other than the Seller; was properly subjected to and passed common testing methods (including pressure testing for potable water and drainage systems) immediately after the product's installation and before the product is put into service, was not damaged by freezing temperatures or excessive heats outside normal working or any express working range of the product; was not subjected to or exposed to direct or indirect chemical exposures; was not subjected to corrosion from atmospheric or environmental degradation (including UV exposure, brackish water, acidic water (pH <6.5), alkaline water (pH >8), contaminated soils, etc.), and was protected from natural causes; was never subjected to improper protection during installation and was handled with all precautions expressly written within company limitation documents or known to the industry; was not subjected to water pressures and flow conditions outside the working limits of the product; was not subject to adverse or aggressive water conditions (during testing, through stagnation or within service life (where service-life is defined by this warranty)) and where any express water condition included within company documents is avoided; and all handling was performed in a manner consistent and known to the industry or taught through company documents, labels, websites manuals, etc. In addition, Seller shall not be responsible for any incidental, special or consequential damages, including without limitation, lost profits or the cost of repairing or replacing other property which is damaged, other costs resulting from labor charges, delays, vandalism, negligence, fouling caused by foreign material, chemical or any other circumstances over which the Seller has no control. This warranty excludes all costs arising from routine maintenance, including the replacement of any parts required by such maintenance and the replacement of parts required by normal wear and tear. The Seller also reserves the right to modify, alter or improve its product, or parts thereof, at any time without incurring an obligation to notify or modify, alter, improve or replace any product, or parts thereof, previously sold. If, on any occasion, Seller waives any term or condition, this waiver is not to be construed as a continuing waiver. For the purposes of this warranty, the lifetime of the original plumbing system is defined as the lesser of 25 years or the time before the plumbing system was replaced or materially changed; all products with automatically or manually moving parts are excluded from the limited lifetime warranty and carry a 3-year limited warranty, subject to the remaining terms, conditions and limitations of the warranty. Some States do not allow or have other parameters governing limitations on how long an implied warranty lasts, and some States do not allow the exclusion or limitation of incidental or consequential damages. This Limited Warranty gives you specific legal rights, and you may have other rights that vary from State to State. You should consult applicable state laws to determine you rights. THE WARRANTY SET FORTH HEREIN ABOVE AND BELOW IS GIVEN EXPRESSLY AND IS THE ONLY WARRANTY GIVEN BY THE COMPANY WITH RESPECT TO THE PRODUCT, THE COMPANY MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, THE COMPANY HEREBY SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

#### Terms & Conditions

All sales are subject to the Standard Terms and Conditions set forth on Sioux Chief's website at www. siouxchief.com. These terms include the following:

#### Return Merchandise

No merchandise can be returned without Seller's prior written authorization. All returns must comply with the guidelines established below

#### **Return Merchandise & Warranty Service**

In order to return product/merchandise or receive warranty service, Buyer must first obtain a Return Merchandise Authorization ("RMA") by contacting Seller using the following information:

MAIL: Customer Service Manager Sioux Chief Manufacturing Company, Inc. 14940 Thunderbird Road Kansas City, Missouri 64147

PHONE: 816-425-9900 / 1-800-821-3944 **FAX:** 816-348-7502 / 1-800-758-5950 EMAIL: info@siouxchief.com

#### **Return Merchandise Procedure**

All merchandise returns and warranty claims are subject to the following general terms and conditions:

RMA requests must reference Seller's order number, invoice number or the customer's P.O. number.

Minimum return amount must be \$250 net value per purchase order.

Product returns can only be made within twelve (12) months of the original invoice date of the product to

Seller reserves the right, at its sole and absolute discretion, to reject an RMA request for any reason at

In order to be received and accepted by Seller, all returned product must be in whole multiples of the Minimum Quantity listed in the current Price Index and material must be in its original packaging with manufacturer's seal intact.

Products which are being phased-out, are obsolete, or were special-order (custom) are not considered normal stock. These items are non-returnable and nonrefundable, except in the case of a manufacturer's

Buyer will be charged 25% of the applicable return price for product restocking. For Drainage items having one or more listed option, Buyer will be charged 33% of the applicable return price for product restocking, and will apply to canceled orders that have been entered but not shipped.

An RMA is invalid 90 days after its date of issue.

Seller will only supply product credit for a product return or warranty claim. Issuance of an RMA does not authorize the Buyer to deduct the value of the returned item; once product is received and accepted by Seller, Seller will issue a credit memo for the returned product when applicable.

All product returns are subject to inspection and acceptance by Seller at its discretion.

Seller reserves the right to deny, nullify or cancel an RMA at its discretion.

Product returned without a Return Merchandise Authorization number will be destroyed without credit. Seller shall not be responsible for shipping errors and shortages reported 5 days after receipt of material.

Seller shall not be responsible for shipment shortages that are signed for as clear. Any shipment that appears to be damaged in shipping must be noted when signing for receipt of delivery.

#### **Full Freight Allowance**

Sioux Chief will pay freight on all orders to single destinations totaling at least \$4,000 Net to locations within the 48 contiguous states (United States of America), at least \$7,500 Net to locations within Hawaii, Alaska, and Puerto Rico, and at least \$3,500 CAD Net to locations within Canada. Sioux Chief will pay freight on HydroTec™ and HydroBlock™ trench drain orders of at least \$5,000 Net to locations with the 48 contiguous states.

#### Warranty Procedure - Product & Property

All claims for property or other damage are subject to the following additional terms and procedure:

If there is a warranty claim on a part that involves property or other damage, Seller should be contacted by phone or in writing directly following the loss, and in no case later than 15 days of the date of alleged claim or failure and before any remediation or alteration of the loss site has been started; any notice beyond this time frame or after work has taken place to repair or change the loss site will materially affect the Seller's ability to adjudicate the claim and will void the

The product in claim and/or its installation should not be modified before review by Seller; alteration of the alleged product or installation materially affects the Seller's ability to establish fault and voids the warranty.

Request a claim form. Submit the completed form to the Seller. Claimant will receive an INC (incident) number from Seller.

With the INC number, claimant should submit the claim form, including the date of the installation, description of problem, damage, pictures of the product, and repair invoices. This information should be sent to the above address at claimant's expense. Seller will not receive or process a claim without an INC number.

Seller will contact claimant with next steps, which may include a visit from a site investigator or other representatives of Seller, as Seller reserves the right to investigate all alleged loss sites.

#### **Processing of Orders**

All orders are processed immediately upon receipt and acceptance by Seller. Seller reserves the right to charge back to Buyer costs incurred from order cancellations or changes, and to consider additions as separate orders.

Unless provided in writing by Seller, any dates and/ or times quoted by Seller for the delivery of any goods or the performance of any services are estimates and Seller will not be held responsible for any delay. Buyer's receipt of goods or acceptance of services shall constitute a waiver of any claim for delay.

If Buyer requires expedited shipment of "in stock" goods prior to stated lead times on said order, Buyer will be charged \$100.00 (USD) for any 'expedited' shipping on items up to \$1,000.00 (USD) net, and \$100.00 (USD) + 2% of net for any 'expedited' shipping on items over \$1,000.00 (USD) net.

#### **Price Changes**

All prices quoted from time to time by Seller are subject to change without notice up to time of shipment. Invoice totals and discounts will be calculated out to the sixth decimal digit.

If Buyer fails to give written notice of objection to Sioux Chief's order confirmation within ten (10) days after Buyer's receipt of Sioux Chief's confirmation of the purchase order, the order confirmation pricing becomes binding.

#### **Minimum Order Quantities**

A 20% surcharge will be applied to any item not purchased in multiples of the stated Minimum Quantity, except on drop-ship orders.

Items with bold Minimum Quantities in the Numerical Index (back of catalog) can never be broken.

PEX tube bundles (sticks) may only be included on orders of \$40,000 Net or more. In addition, PEX tube bundles (sticks) must also be ordered in a minimum quantity of ten (10) or a \$100 surcharge will apply to the line item. Coils may be ordered in any quantity, and on orders of any amount.



# TAKE THE FIELD.

**Sioux Chief Manufacturing Company, Inc.** 

14940 Thunderbird Road
Kansas City, Missouri 64147
P 1-800-821-3944 | 816-425-9900
F 1-800-758-5950 | 816-348-7502
www.siouxchief.com

© 2022 Sioux Chief Manufacturing Company Inc.

Online Pricing Guide
Check up-to-date list prices anytime



https://products.siouxchief.com