TRENCH DRAIN

>> 865 SERIES

SPECIFICATION

Sioux Chief 865 Series HydroTec[™] Maxi 150 trench drain shall be used where necessary for surface drainage. Trench drain shall incorporate a fiber-reinforced concrete channel, ductile iron edge rails, and ductile iron, ADA-compliant, grating with 'F1' grate-locking system - all components shall be assembled. Channel shall have a U-shaped flow area and a smooth outer wall to maximize adhesion with concrete encasement and reduce trapped air pockets. Edge rails shall be integrally formed into the channel wall. Concrete thickness and reinforcement shall be per structural engineer's specification for the application. Designed in accordance with ASME A112.6.3

MATERIALS

 Grating: Ductile iron (ASTM A536 70-50-05) - ADA-Compliant
 Edge Rails: Ductile iron (ASTM A536 70-50-05)
 Drain channel: Fiber-reinforced concrete - neutral profile Compressive strength: C35/45 (DIN EN 206)

Frost and de-icing salt resistant (DIN EN 1433 Class +R) Fire Rating: A2 - non-combustible, no smoke, no burning drip (DIN 4102) Thermal expansion/contraction: 1×10^{-6} mm/Kelvin* Maximum water penetration depth: 8 mm (watertight per DIN EN 1433)

GRATE INTAKE AREA

80.3 in² / meter

LOAD RATING

Class F900 per DIN EN 1433 HS25 per AASHTO Extra-Heavy Duty per ASME A112.6.3

* Same as surrounding concrete foundation

ITEM # SUBMITTED______
JOB NAME______
LOCATION ______
ENGINEER______
CONTRACTOR______
PO#_____ TAG _____





HydroTec[™]

Specify Item Number

NEUTRAL CHANNEL

865-M6N00F1A = One-Meter section 865-M6N005F1A = Half-Meter section

Accessories - Available Separately:

865-M6N005SF1A: Side-outlet section - Half-meter - 'F1' Class F900 grate 865-M6N00BF1A: Bottom-outlet section - One-meter - 'F1' Class F900 grate 865-M6CBF1A: Catch basin with basket - Half-meter - 'F1' Class F900 grate 865-6PC: PVC S&D connection pipe for 6" Nom. outlets 865-6RS: Rubber sleeve/seal for 6" Nom. bottom outlets 865-6UC: Universal end cap (open/closed) for Maxi 150 System 865-SHOVEL: Cleaning shovel for Maxi System

