

COST COMPARISON

TRADITIONAL SUPPLY VALVE INSTALLATION

with COPPER STUB OUT



OMEGAPLATE™ SUPPLY VALVE INSTALLATION



Disadvantages

- Inconsistent Costs: Valves, brackets, escutcheons, tools, materials. Controlling installation costs
- Inconsistent Times: Multiple touches over multiple visits to the job site
- Inconsistent Looks: Skewed stub outs, missing parts, mismatched rough-in heights
- Connection liability. Risk of valve leaks / Call-backs.

Estimated Time

Labor Rate: /hr

Steps		Input Time in Minutes
Rough	Install bracketing	
	Install/secure, or make/secure stub outs	
	Connect stub out to water supply	
	Test	
Finish	Cut stub out, clean and deburr	
	Prep for supply stop (flux/tape/etc.) & install escutcheons	
	Attach supply stop in proper position	
	Test	
Total Time		

Estimated Material Costs:

Material	Input Your Cost
Bracket/hanger	
Stub out	
Supply stop	
Escutcheon	
Misc. materials (solder/flux/tape/sealant/screws)	

Total Material Cost

Labor (above) Cost

Total:

Advantages

- Fewer Touches - One product to buy, stock, handle, manage, etc. Installed at Rough-In
- Everything present at Rough. Tested at Rough
- No Lead material is DZR and SCC resistant
- High-quality, ¼-Turn, plated valve with T-handle and integral thread caps
- Clean, consistent professional-looking installations

Estimated Time

Steps		Input Time in Minutes
Rough	Attach valve to OmegaPlate™ in desired orientation. Install provided debris cover	
	Attach OmegaPlate™ to stud or bracket	
	Connect to water supply	
	Test	
Finish	Remove debris cover and replace with escutcheon.	
Total Time		

Estimated Material Costs:

Material	Input Your Cost
OmegaPlate™	
Escutcheon	
Misc. materials (screws)	

Total Material Cost

Labor (above) Cost

Total:

Total Savings: